

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

AD 9870
1
05
08.2

COTTON QUALITY CROP OF 1972



PROCUREMENT SECTION
CURRENT SERIAL RECORDS

FEB 6 1974

U.S. DEPT. OF AGRICULTURE
NAT'L AGRO. LIBRARY
RECEIVED

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

CONTENTS

	<u>Table No.</u>	<u>Page No.</u>
Introduction.		1
Map of Smith-Doxey Cotton Classing Office Territories		2
<u>UPLAND COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
1972-73	1	3
1971-72	2	4
During Specified Periods, 1972-73	3	5
By States, 1972-73.	8	9-23
During Specified Periods by States, 1972-73	9	24-31
By Classing Office Territories, 1972-73	10	32-45
Preparation and Grade Reductions		
United States and by States, 1972-73.	4	6
Grade Index and Average Staple		
United States and by States, 1969-1972.	5	7
Tenderability		
By States, 1972-73.	6	8
United States, 1955-1972.	7	8
Micronaire Readings		
United States and by States, 1972-73.	11	46
During Specified Periods, United States and by States, 1972-73.	12	47-50
By Classing Office Territories, 1972-73	13	51
Fiber Strength		
United States and by States, 1972-73.	14	52
During Specified Periods, United States and by States, 1972-73.	15	53-55
By Classing Office Territories, 1972-73	16	56
<u>AMERICAN PIMA COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
United States and by States, 1972-73.	17	57
During Specified Periods, 1972-73	18	58
Micronaire Readings		
United States and by States, 1972-73.	19	59

Cotton Quality - United States

1972 Crop

Introduction

The quality of cotton ginned in the United States from the 1972 crop is presented in this report. These quality estimates are based on the classification of samples representing approximately ten percent of the 1972 crop. The sample distributions of the various qualities of upland and American Pima cotton were raised to total ginnings as reported by the Bureau of the Census.

Quality statistics on the grade, staple, mike and fiber strength of the 1972 crop, by Smith-Doxey cotton classing office territories, by major cotton-producing states and by specified periods are presented in this report.

A report covering the qualities of cotton on hand in the United States on August 1, 1973, by principal types of storage, was released in mid-September. In addition to quality estimates of cotton in the carryover, this report included quality data on the crop, supply and disappearance of upland cotton for the 1972-73 season with comparative data for preceding years.

The 1972 upland crop contained nearly 1.0 million bales of cotton stapling 36 and longer. This is equivalent to eight percent of total ginnings, a substantial decrease from a year earlier when these longer staples comprised 16 percent of the crop. Cotton in the lengths 35 and 34, combined, was equivalent to about 56 percent of 1972 ginnings compared with 58 percent a year ago. Staples 33 and 32 comprised 19 percent of total ginnings, up sharply from the eight percent in the 1971 ginnings. Cotton stapling 31 and shorter accounted for 17 percent of the 1972 upland crop, the smallest percentage in three years. The average staple of the 1972 crop was 33.5 thirty-seconds inches against 33.8 thirty-seconds for the 1971 crop.

Ginnings of grade 31 and higher White grades totaled 1.1 million bales in 1972-73, representing eight percent of the total crop. This is the smallest percentage of these higher White grades for any crop on record and compares with the previous record-low of 13 percent set in 1971-72. The White grades below 31 comprised the largest percentage of ginnings - 60 percent - for any season since quality data became available. Grade 51 accounted for 20 percent of 1972 ginnings, a record-high. The Light Spotted grades were equivalent to 24 percent of total ginnings, the smallest percentage in eight years. The grade index of the 1972 crop was 89.2 (grade 31 = 100), the lowest on record.

The average mike of upland cotton ginned from the 1972 crop was 4.2 compared with 4.1 a year earlier. Cotton miking in the 3.5-4.9 mike category comprised 78 percent of total ginnings against 77 percent in the 1971-72 season.


Fiber strength test results showed that upland cotton ginned from the 1972 crop was stronger than a year earlier. The average was 84,000 pounds per square inch compared with 82,000 pounds in the 1971-72 season. Cotton in the 80,000-89,000 fiber strength range comprised 51 percent of total ginnings against 45 percent for the 1971 crop. Cotton testing 90,000 pounds and stronger accounted for 20 percent of ginnings compared with 14 percent a year earlier.

American Pima cotton ginned from the 1972 crop contained smaller proportions of the longer staples and the higher grades than a year ago. The staples 46 and longer accounted for four percent of ginnings compared with 19 percent a year ago. Grades 3 and higher comprised eight percent of total ginnings, down sharply from the 30 percent in these higher grades in the preceding season.

Cotton ginned from the 1972 crop totaled 13,267,000 running bales, according to the Bureau of the Census. This is the largest crop since 1965 and compares with 1971 ginnings of 10,229,000 bales. The average net weight per bale of cotton ginned from the 1972 crop was 495.7 pounds compared with the 1971 average bale weight of 491.6 pounds and the 1970 average of 483.8 pounds per bale. The 1972 American Pima crop totaled 93,900 running bales compared with 95,900 bales from the 1971 crop.

October 9, 1973

DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES



U.S. DEPARTMENT OF AGRICULTURE

Table 1. -- Grade and staple of upland cotton ginned in the United States, 1972-73

Grade	Code	Staple Code (32nd inches)														40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		Bales	Percent
White:																		
G.M.	(11)	-	-	-	-	-	-	35	34	24	-	12	-	-	-	105	-	0.2
S.M.	(21)	-	-	64	241	114	147	1,331	6,146	12,586	3,631	719	11	-	-	24,990	-	8.2
M.+	(31)	-	-	-	50	-	-	10	21	100	48	-	-	-	-	229	-	1.5
M.	(41)	-	108	1,897	18,352	26,304	18,423	32,696	196,681	464,534	301,016	15,134	542	-	9	1,075,669	-	32.4
S.L.M.+	(51)	-	-	-	375	580	678	2,163	20,951	75,202	91,543	5,910	522	-	38	194,314	-	20.3
S.L.M.	(61)	-	132	3,999	56,358	167,065	228,299	298,052	1,910,395	1,197,960	339,817	38,811	2,641	11	108	4,243,648	-	0.1
L.M.+	(71)	-	12	90	2,654	5,736	10,259	87,289	66,022	614,586	80,448	4,568	384	13	35	2,674,204	-	3.2
L.M.	(81)	-	83	2,272	31,067	112,400	185,367	349,529	1,293,452	614,586	80,448	4,568	384	13	35	2,674,204	-	0.5
S.G.O.+	(91)	-	-	11	150	210	624	1,431	6,482	4,397	696	62	-	-	25	419,349	-	0.2
S.G.O.	(101)	-	26	650	5,482	13,199	30,977	93,022	182,070	81,298	12,344	230	10	16	25	419,349	-	0.2
G.O.+	(111)	-	-	-	-	57	30	56	248	199	-	-	-	-	-	604	-	0.5
G.O.	(121)	-	9	86	1,252	1,542	6,838	13,876	24,045	15,743	1,670	11	69	-	-	65,141	-	67.9
Total		-	370	9,114	114,452	324,125	477,129	802,452	3,727,814	2,532,651	849,366	68,207	4,359	40	215	8,910,314	-	
Light Spotted:																		
G.M.	(12)	-	-	10	-	-	12	-	-	-	-	-	-	-	-	22	-	3.6
S.M.	(22)	-	21	145	387	346	125	346	980	412	91	-	-	-	-	2,853	-	13.7
M.	(32)	21	549	9,458	92,921	116,958	85,019	41,739	72,884	36,831	15,926	4,585	127	-	32	477,050	-	6.3
S.L.M.	(42)	17	621	15,726	181,204	357,735	305,679	216,841	534,650	161,090	31,468	5,302	190	16	44	1,810,583	-	23.6
L.M.	(52)	-	287	7,434	81,816	174,792	149,281	130,081	216,379	61,897	7,920	447	9	-	-	830,343	-	
Total		38	1,478	32,773	356,328	649,831	540,116	389,007	824,893	260,230	55,405	10,334	326	16	76	3,120,851	-	
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8
S.M.	(23)	-	-	29	342	124	78	62	21	99	12	-	-	-	-	767	-	2.8
M.	(33)	10	213	6,966	39,927	24,519	10,839	7,082	6,074	2,482	756	34	-	-	-	98,902	-	1.8
S.L.M.	(43)	9	841	27,992	122,108	86,811	46,800	32,444	39,835	10,055	1,677	126	-	-	-	368,698	-	5.4
L.M.	(53)	46	796	14,760	66,304	59,261	35,897	29,861	28,657	7,054	795	52	-	-	9	243,492	-	
Total		65	1,850	49,747	228,681	170,715	93,614	69,449	74,587	19,690	3,240	212	-	-	9	711,859	-	
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	0.2
S.M.	(24)	-	-	20	41	-	-	-	-	-	-	-	-	-	-	61	-	1.0
M.	(34)	9	284	5,793	16,057	4,705	1,147	387	343	138	51	-	-	-	-	28,914	-	0.3
S.L.M.	(44)	9	1,421	37,510	66,976	17,641	4,377	1,733	1,096	295	49	-	-	-	9	131,116	-	0.3
L.M.	(54)	52	951	12,614	19,849	6,384	2,055	1,358	946	302	30	10	-	-	-	44,551	-	1.5
Total		70	2,656	55,937	102,923	28,730	7,579	3,490	2,385	735	130	10	-	-	9	204,654	-	
Stained:																		
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
S.M.	(25)	-	-	9	-	-	-	-	-	-	-	-	-	-	-	9	-	0.3
M.	(35)	-	73	182	145	60	-	-	38	-	-	-	-	-	10	508	-	0.3
Total		-	73	191	145	60	-	-	38	-	-	-	-	-	-	10	517	0.7
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4
S.M.	(26)	-	-	11	-	17	-	238	773	618	100	-	-	-	-	1,757	-	0.4
M.	(36)	-	-	-	74	154	499	5,669	21,397	14,016	1,947	-	-	-	-	43,756	-	0.7
S.L.M.	(46)	-	-	29	159	91	1,776	16,463	14,834	17,633	2,134	-	-	-	-	53,119	-	
Total		-	-	40	233	262	2,275	22,370	37,004	32,267	4,181	-	-	-	-	96,632	-	
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
M.	(37)	-	-	-	63	22	58	375	737	920	69	-	-	-	-	10	-	0.4
S.L.M.	(47)	-	-	-	101	18	308	1,579	1,857	2,592	54	-	-	-	-	2,244	-	0.7
Total		-	-	-	164	40	366	1,954	2,594	3,522	123	-	-	-	-	8,763	-	
Below Grade																		
	219	5,509	16,665	16,102	11,172	21,904	19,047	19,769	6,974	546	25	31	-	8	117,971	-	0.9	
All grades																		
	392	11,936	164,467	819,028	1,184,935	1,142,983	1,307,769	4,689,084	2,856,069	913,011	78,788	4,716	56	327	13,173,561	1/	100.0	
All grades																		
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
	0.1	1.2	6.2	9.0	8.7	9.9	35.7	21.7	6.9	0.6	0.6	0.6	0.6	0.6	100.0	0.6	100.0	
1/ As reported by the Bureau of the Census, running bales.																		
* Less than 0.05 percent.																		
Percentage rough preparation....																		
Grade index.....																		
Average staple.....																		
89.2																		
33.5																		

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1971-72

Grade	Code	Staple Code (32nd inches)														40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		Percent	
White:																		
G.M.	(11)	-	-	-	-	-	-	-	35	40	-	-	-	-	-	75	*	
S.M.	(21)	-	-	14	92	17	240	677	6,643	16,961	8,662	620	189	-	-	34,115	0.3	
M.+	(31)	-	-	-	28	14	-	-	45	48	29	-	-	-	-	164	*	
S.L.M.+	(41)	-	70	922	3,590	3,499	8,885	28,932	230,912	507,168	463,215	35,924	7,090	66	409	1,290,682	12.7	
S.L.M.	(51)	-	9	9	17	12	199	1,477	11,649	30,924	87,031	6,220	1,686	70	70	139,373	1.4	
L.M.+	(61)	-	368	4,015	22,360	25,305	31,962	119,841	891,025	1,585,792	638,971	32,899	7,032	147	539	3,360,256	33.3	
L.M.	(71)	-	7	498	6,197	37,289	37,676	33,688	30,802	55,404	29,527	1,003	392	-	13	122,241	1.2	
S.G.O.+	(81)	-	-	25	75	76	116	679	2,994	2,262	979	44	35	-	-	1,357,617	13.4	
S.G.O.	(91)	-	208	2,901	13,314	12,611	14,447	33,887	84,566	50,575	9,982	348	85	-	-	7,285	0.1	
G.O.+	(101)	-	-	-	19	-	20	25	161	45	34	-	-	-	-	222,924	2.2	
G.O.	(111)	-	64	466	1,257	1,446	2,248	6,256	10,845	4,219	781	29	15	-	-	304	*	
Total		7	1,217	14,559	78,279	80,965	92,675	288,717	1,750,914	2,784,770	1,369,789	81,210	18,233	296	1,031	6,562,662	64.9	
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
S.M.	(22)	-	-	103	131	65	24	438	2,295	1,260	359	130	-	-	-	4,805	*	
M.	(32)	40	1,203	12,986	52,031	21,092	12,175	24,178	151,610	111,462	20,827	9,402	1,235	-	139	418,180	4.1	
S.L.M.	(42)	360	8,114	74,799	270,306	159,280	73,569	86,213	370,887	290,726	58,331	3,654	651	-	47	1,396,937	13.8	
L.M.	(52)	248	8,137	82,121	303,744	170,201	85,429	78,819	176,410	101,757	17,450	380	82	-	-	1,024,778	10.1	
Total		648	17,454	170,009	626,212	350,638	171,197	189,648	701,202	505,205	96,767	13,566	1,968	-	186	2,844,700	28.0	
Spotted:																		
G.M.	(13)	-	-	-	10	-	11	-	-	51	-	-	-	-	-	72	*	
S.M.	(23)	-	-	-	-	7	-	40	215	86	22	-	-	-	-	370	*	
M.	(33)	185	2,198	8,166	12,759	3,855	1,406	2,433	6,690	3,461	942	44	-	-	-	42,139	0.4	
S.L.M.	(43)	729	10,619	45,828	68,896	24,767	8,976	9,553	20,699	10,633	2,323	49	6	-	-	203,078	2.0	
L.M.	(53)	1,097	16,510	70,093	105,138	37,418	19,776	19,355	24,645	8,702	1,864	36	-	-	-	304,634	3.0	
Total		2,011	29,327	124,087	186,803	66,047	30,169	31,381	52,249	22,933	5,151	129	6	-	-	550,293	5.4	
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
S.M.	(24)	-	-	-	-	-	-	-	19	11	5	-	-	-	-	41	*	
M.	(34)	246	900	1,271	1,045	194	43	166	360	181	44	-	-	-	-	4,450	*	
S.L.M.	(44)	1,000	4,467	6,069	3,993	1,007	320	417	663	293	56	-	-	-	-	18,285	0.2	
L.M.	(54)	1,459	5,872	7,112	4,672	1,645	1,154	1,007	995	230	19	-	-	-	-	24,165	0.2	
Total		2,705	11,239	14,452	9,710	2,846	1,517	1,596	2,037	715	124	-	-	-	-	46,941	0.4	
Stained:																		
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
S.M.	(25)	-	-	7	-	-	-	-	-	-	-	-	-	-	-	7	*	
M.	(35)	52	21	35	20	-	-	6	-	-	17	-	-	-	-	151	*	
Total		52	21	42	20	-	-	6	-	-	17	-	-	-	-	158	*	
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	17	-	-	-	-	-	-	17	*	
S.M.	(26)	-	-	-	-	-	-	206	762	455	196	-	-	-	-	1,619	*	
M.	(36)	-	-	-	18	56	246	1,585	5,726	1,348	499	54	-	-	-	9,532	0.1	
S.L.M.	(46)	-	-	8	199	167	598	2,653	4,589	197	62	-	-	-	-	8,473	0.1	
Total		-	-	8	217	223	844	4,444	11,094	2,000	757	54	-	-	-	19,641	0.2	
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
S.M.	(27)	-	-	-	-	-	8	13	33	8	-	-	-	-	-	62	*	
M.	(37)	-	8	-	14	-	45	135	158	42	-	-	-	-	-	402	*	
S.L.M.	(47)	7	20	5	76	44	183	301	249	5	-	-	-	-	-	890	*	
Total		7	28	5	90	44	236	449	440	55	-	-	-	-	-	1,354	*	
Below Grade		1,832	4,123	11,708	24,393	13,573	14,114	15,769	16,283	4,994	872	9	-	-	-	107,670	1.1	
All grades		7,262	63,409	334,870	925,724	514,336	310,752	532,010	2,534,219	3,320,672	1,473,477	94,968	20,207	296	1,217	10,133,419	100.0	
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
		0.1	0.6	3.3	9.1	5.1	3.1	5.3	25.0	32.8	14.5	0.9	0.2	*	*	100.0	*	
1/ As reported by the Bureau of the Census, running bales.																		
* Less than 0.05 percent.																		
Percentage rough preparation....																		
Grade index.....																		
Average staple.....																		
89.9																		
93.6																		

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1972-73

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
White:													
G.M.	(11)	-	58	36	-	11	105	-	*	*	-	*	*
S.M.	(21)	367	8,089	14,098	2,185	251	24,990	0.1	0.6	0.3	0.1	*	0.2
M.+	(30)	-	92	41	46	50	229	-	*	*	*	*	*
M.	(31)	27,812	181,021	679,381	148,513	38,962	1,075,689	5.3	14.0	13.5	6.1	1.0	8.2
S.L.M.+	(40)	1,481	18,709	130,677	42,440	4,671	197,978	0.3	1.4	2.6	1.8	0.1	1.5
S.L.M.	(41)	144,754	561,349	2,112,388	829,263	595,894	4,243,648	27.7	43.4	42.3	34.3	15.2	32.4
L.M.+	(50)	3,678	28,288	101,647	43,537	17,164	194,314	0.7	2.2	2.0	1.8	0.4	1.5
L.M.	(51)	93,539	120,046	1,031,717	680,411	748,491	2,674,204	18.0	9.2	20.6	28.1	19.3	20.3
S.G.O.+	(60)	309	514	5,832	4,801	2,607	14,063	0.1	*	0.1	0.2	0.1	0.1
S.G.O.	(61)	12,993	8,256	59,995	98,483	239,622	419,349	2.5	0.6	1.2	4.1	6.1	3.2
G.O.+	(70)	36	-	49	76	443	604	*	-	*	*	*	*
G.O.	(71)	1,102	1,032	4,350	8,184	50,473	65,141	0.2	0.1	0.1	0.3	1.3	0.5
Total		286,071	927,454	4,140,211	1,857,939	1,698,639	8,910,314	54.9	71.5	82.7	76.8	43.5	67.9
Light Spotted:													
G.M.	(12)	-	12	-	-	10	22	-	*	-	-	*	*
S.M.	(22)	87	430	1,629	402	305	2,853	*	*	*	*	*	*
M.	(32)	32,805	122,902	115,402	44,128	161,813	477,050	6.3	9.5	2.3	1.8	4.1	3.6
S.L.M.	(42)	116,593	162,531	525,962	277,627	727,870	1,810,583	22.4	12.5	10.5	11.5	18.7	13.7
L.M.	(52)	60,449	62,557	158,620	143,932	404,785	830,343	11.6	4.8	3.2	5.9	10.3	6.3
Total		209,934	348,432	801,613	466,089	1,294,783	3,120,851	40.3	26.8	16.0	19.2	33.1	23.6
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	45	99	98	525	767	-	*	*	*	*	*
M.	(33)	1,412	4,412	7,305	7,576	78,197	98,902	0.3	0.3	0.1	0.3	2.0	0.8
S.L.M.	(43)	7,889	7,450	30,776	36,405	286,178	368,698	1.5	0.6	0.6	1.5	7.3	2.8
L.M.	(53)	8,865	7,114	16,496	22,389	188,628	243,492	1.7	0.5	0.3	0.9	4.8	1.8
Total		18,166	19,021	54,676	66,468	553,528	711,859	3.5	1.4	1.0	2.7	14.1	5.4
Tinged:													
G.M.	(14)	-	-	12	-	-	12	-	-	*	-	-	*
S.M.	(24)	-	-	-	-	61	61	-	-	-	-	*	*
M.	(34)	14	43	389	443	28,025	28,914	*	*	*	*	0.7	0.2
S.L.M.	(44)	72	50	259	1,316	129,419	131,116	*	*	*	0.1	3.3	1.0
L.M.	(54)	31	26	153	706	43,635	44,551	*	*	*	*	1.1	0.3
Total		117	119	813	2,465	201,140	204,654	*	*	*	0.1	5.1	1.5
Stained:													
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	9	9	-	-	-	-	*	*
M.	(35)	-	-	23	15	470	508	-	-	-	*	*	*
Total		-	-	23	15	479	517	-	-	*	*	*	*
Light Gray:													
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	68	57	713	605	314	1,757	*	*	*	*	*	*
M.	(36)	827	173	8,332	11,986	22,438	43,756	0.2	*	0.2	0.5	0.6	0.3
S.L.M.	(46)	360	125	978	4,616	47,040	53,119	0.1	*	*	0.2	1.2	0.4
Total		1,255	355	10,023	17,207	69,792	98,632	0.3	*	0.2	0.7	1.8	0.7
Gray:													
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	10	10	-	-	-	-	*	*
M.	(37)	105	-	284	247	1,608	2,244	*	*	*	*	*	*
S.L.M.	(47)	42	15	103	496	5,853	6,509	*	*	*	*	0.1	*
Total		147	15	387	743	7,471	8,763	*	*	*	*	0.1	*
Below Grade		5,003	4,438	7,463	12,401	88,666	117,971	1.0	0.3	0.1	0.5	2.3	0.9
All grades		520,693	1,299,834	5,015,209	2,423,327	3,914,498	13,173,561 ^{1/}	100.0	100.0	100.0	100.0	100.0	100.0
Grade index		88.8	92.6	91.6	89.1	85.0	89.2	-	-	-	-	-	-
Staple Code (32nd inches)													
26 and shorter	14	24	67	5	282	392		*	*	*	*	*	*
28	121	200	1,770	125	9,720	11,936		*	*	*	*	0.2	0.1
29	3,729	4,852	20,014	5,820	130,052	164,467		0.7	0.4	0.4	0.2	3.3	1.2
30	32,416	67,677	79,670	66,596	572,669	819,028		6.2	5.2	1.6	2.7	14.6	6.2
31	43,391	130,144	63,611	113,918	833,871	1,184,935		8.3	10.0	1.3	4.7	21.5	9.0
32	42,336	102,726	39,039	128,027	830,855	1,142,983		8.1	7.9	0.8	5.3	21.3	8.7
33	120,930	75,706	263,220	279,531	568,382	1,307,769		23.2	5.8	5.2	11.5	14.5	9.9
34	265,469	470,525	2,306,708	1,023,325	623,057	4,689,084		51.1	36.3	46.0	42.4	15.9	35.7
35	11,941	395,744	1,673,254	510,920	264,210	2,856,069		2.3	30.4	33.4	21.1	6.7	21.7
36	332	50,482	531,748	255,094	75,355	913,011		0.1	3.9	10.6	10.5	1.9	6.9
37	14	1,513	34,403	37,306	5,552	78,788		*	0.1	0.7	1.5	0.1	0.6
38	-	241	1,691	2,513	271	4,716		*	-	-	0.1	*	*
39	-	-	-	11	45	56		-	-	-	*	*	*
40 and longer	-	-	14	136	177	327		-	-	*	*	*	*
All staples		520,693	1,299,834	5,015,209	2,423,327	3,914,498	13,173,561 ^{1/}	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		33.1	33.6	34.4	34.0	32.1	33.5	-	-	-	-	-	-

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1972-73

State	Preparation		Grade Reductions by Causes 1/							Total	
	Normal Bales	Rough Preparation Prep. 3 and 4 Bales	Bark Bales	Grass Bales	Motes Bales	Oil Bales	Sand and Dust Bales	Seed Bales	Spindle Twist Bales	Stems Bales	Other Bales
Virginia	1,175	-	-	95	-	-	-	-	-	-	95
North Carolina	119,920	69	-	13,196	-	-	-	-	-	-	13,196
South Carolina	295,337	-	3,342	41,033	-	9	-	-	-	-	44,384
Georgia	337,920	24	2,359	18,392	-	42	-	-	-	-	20,793
Florida	13,245	-	24	882	-	-	-	-	14	-	920
Alabama	555,863	219	2,115	43,457	12	63	-	9	88	21	45,765
Mississippi	1,925,708	575	46,679	133,078	-	517	-	23	38	689	12 181,036
Kentucky	1,672	-	10	-	-	-	-	-	-	-	10
Tennessee	523,218	91	9,733	36,656	-	40	-	-	19	6	46,454
Missouri	425,575	609	6,143	4,341	153	40	-	-	8	34	10,719
Arkansas	1,395,678	262	13,344	64,757	71	105	-	102	52	773	79,204
Louisiana	685,626	282	11,133	28,438	-	-	-	-	-	-	39,571
Oklahoma	315,053	247	14,287	2,677	-	11	21	32	-	21	17,049
Texas	4,068,558	782	847,355	45,796	-	62	-	50	104	13	893,380
New Mexico	151,061	11	16,232	1,941	-	85	-	-	11	-	18,269
Arizona	591,092	28	49,124	9,274	-	-	184	159	-	9	58,750
Nevada	2,589	-	68	256	-	-	-	-	-	-	324
California	1,760,959	113	23,510	69,402	-	7	-	162	266	50	7 93,404
United States	13,170,249	3,312	1,045,458	513,671	236	981	205	537	600	1,616	19 1,563,323

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1969-1972

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1969	1970	1971	1972	1969	1970	1971	1972
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	91.1	87.7	83.4	83.0	34.3	33.8	33.8	34.3
North Carolina	88.5	88.4	85.1	88.0	34.2	33.9	34.3	34.6
South Carolina	87.3	87.6	85.3	87.9	34.5	34.1	34.7	34.7
Georgia	86.1	86.8	85.3	89.2	33.5	33.3	33.9	33.8
Florida	89.0	86.1	85.8	90.3	33.6	33.3	34.0	33.9
Alabama	91.1	90.2	89.7	88.1	33.6	33.5	34.1	33.6
Mississippi	92.4	89.6	90.7	89.5	34.5	34.4	34.9	34.4
Illinois	86.9	-	-	-	33.7	-	-	-
Kentucky	94.8	94.1	94.9	93.0	34.0	33.9	34.3	33.9
Tennessee	93.1	91.6	92.0	89.0	33.7	33.8	34.2	33.8
Missouri	93.2	91.4	93.3	88.5	34.4	34.0	34.9	34.0
Arkansas	92.5	90.0	92.0	88.8	34.6	34.2	35.0	34.2
Louisiana	94.7	91.6	92.2	90.6	34.2	34.1	34.6	34.1
Oklahoma	91.3	91.5	83.4	88.3	31.5	31.4	31.1	31.6
Texas	87.0	91.7	84.8	86.9	31.5	31.4	31.1	31.7
New Mexico	93.7	95.1	93.8	90.7	36.1	35.9	35.7	35.1
Arizona	93.4	96.0	93.7	90.4	34.0	34.2	34.2	34.1
Nevada	98.2	99.7	98.2	96.9	36.0	35.8	36.0	36.0
California	94.6	96.2	96.6	94.3	34.9	35.3	35.6	35.3
United States	91.0	91.6	89.9	89.2	33.5	33.4	33.8	33.5

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical staple codes (32nd inches).

Table 6. -- Tenderability of upland cotton ginned, by states, 1972-73

State	Tenderable <u>1/</u>		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	153	13.0	1,022	87.0	1,175	100.0
North Carolina	61,667	51.4	58,322	48.6	119,989	100.0
South Carolina	180,012	61.0	115,325	39.0	295,337	100.0
Georgia	249,743	73.9	88,201	26.1	337,944	100.0
Florida	10,046	75.8	3,199	24.2	13,245	100.0
Alabama	313,136	56.3	242,946	43.7	556,082	100.0
Mississippi	1,347,831	70.0	578,452	30.0	1,926,283	100.0
Kentucky	1,190	71.2	482	28.8	1,672	100.0
Tennessee	329,913	63.0	193,396	37.0	523,309	100.0
Missouri	295,136	69.3	131,048	30.7	426,184	100.0
Arkansas	922,525	66.1	473,415	33.9	1,395,940	100.0
Louisiana	480,197	70.0	205,711	30.0	685,908	100.0
Oklahoma	115,594	36.7	199,706	63.3	315,300	100.0
Texas	1,024,588	25.2	3,044,752	74.8	4,069,340	100.0
New Mexico	71,769	47.5	79,303	52.5	151,072	100.0
Arizona	407,645	69.0	183,475	31.0	591,120	100.0
Nevada	1,941	75.0	648	25.0	2,589	100.0
California	1,436,997	81.6	324,075	18.4	1,761,072	100.0
All states	7,250,083	55.0	5,923,478	45.0	13,173,561	100.0

1/ Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1955-1972

Year	Tenderable <u>1/</u>		Untenderable		Total crop <u>2/</u>	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1955	11,106,760	76.6	3,393,764	23.4	14,500,524	100.0
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972	7,250,083	55.0	5,923,478	45.0	13,173,561	100.0

1/ Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

2/ As reported by the Bureau of the Census, running bales.

Table 8. -- Grade and staple of upland cotton ginned in South Carolina, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)													40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39		Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
S.M.	(21)	-	-	-	-	-	-	46	327	470	-	-	-	-	-	843	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(31)	-	-	-	-	15	46	260	4,059	6,584	1,051	80	-	-	-	12,125	4.1
S.L.M.	(41)	-	-	-	-	-	76	614	27,762	57,156	6,092	38	-	-	-	91,738	31.2
S.L.M.+	(50)	-	-	-	-	-	-	15	1,702	8,107	1,331	-	-	-	-	11,135	3.8
L.M.	(51)	-	-	-	-	-	34	495	27,525	59,173	7,341	37	-	-	-	94,605	32.1
S.G.O.+	(60)	-	-	-	-	-	-	-	513	1,756	219	-	-	-	-	2,488	0.8
S.G.O.	(61)	-	-	-	-	-	-	997	8,554	8,669	1,161	-	-	-	-	19,381	6.6
G.O.+	(70)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9	-
G.O.	(71)	-	-	-	-	-	10	480	1,337	756	125	-	-	-	-	2,708	0.9
Total		-	-	-	-	15	166	2,938	72,152	143,593	17,437	155	-	-	-	236,456	80.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	68	275	131	15	-	-	-	-	489	0.2
M.	(32)	-	-	-	-	-	9	241	2,255	1,979	93	-	-	-	-	4,577	1.5
S.L.M.	(42)	-	-	-	-	15	-	390	9,623	12,581	1,304	33	-	-	-	23,946	8.1
L.M.	(52)	-	-	-	-	-	20	522	8,337	11,057	1,155	15	9	-	-	21,115	7.1
Total		-	-	-	-	15	29	1,221	20,490	25,748	2,567	48	9	-	-	50,127	16.9
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	9	-	-	-	-	-	9	-
M.	(33)	-	-	-	-	-	-	50	139	76	9	-	-	-	-	274	0.1
S.L.M.	(43)	-	-	-	-	-	-	64	925	466	42	-	-	-	-	1,497	0.5
L.M.	(53)	-	-	-	-	-	-	159	1,403	925	93	-	-	-	-	2,580	0.9
Total		-	-	-	-	-	-	273	2,467	1,476	144	-	-	-	-	4,360	1.5
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	26	16	-	-	-	-	-	42	-
S.L.M.	(44)	-	-	-	-	-	-	31	85	20	-	-	-	-	-	136	-
L.M.	(54)	-	-	-	-	-	-	31	21	9	-	-	-	-	-	61	-
Total		-	-	-	-	-	-	62	132	45	-	-	-	-	-	239	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	51	37	-	-	-	-	-	88	-
M.	(36)	-	-	-	-	-	-	62	687	150	-	-	-	-	-	899	0.3
S.L.M.	(46)	-	-	-	-	-	10	439	738	31	-	-	-	-	-	1,218	0.4
Total		-	-	-	-	-	10	501	1,476	218	-	-	-	-	-	2,205	0.7
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	20	50	24	-	-	-	-	-	94	-
S.L.M.	(47)	-	-	-	-	-	-	31	38	-	-	-	-	-	-	69	-
Total		-	-	-	-	-	-	51	88	24	-	-	-	-	-	163	-
Below Grade																	
		-	-	-	-	-	56	225	922	575	9	-	-	-	-	1,787	0.6
All grades																	
		-	-	-	-	30	261	5,271	97,727	171,679	20,157	203	9	-	-	295,337 1/2	100.0
All grades																	
		-	-	-	-	-	0.1	1.8	33.1	58.1	6.8	0.1	*	-	-	100.0	-
1/2 As reported by the Bureau of the Census, running bales.																	
* Less than 0.05 percent.																	
Percentage rough preparation....																	
Grade index.....																	
Average staple.....																	
87.9																	
34.7																	

Table 8. -- Grade and staple of upland cotton ginned in Georgia, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)														40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		Percent	
White:	(11)	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	11	286	774	137	-	-	-	-	1,208	0.4		
	M.+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.	-	-	-	-	7	132	3,634	10,770	1,137	-	-	-	-	15,680	4.6		
	S.L.M.+	-	-	-	-	-	13	554	2,961	405	13	-	-	-	3,946	1.2		
	S.L.M.	-	-	-	11	24	1,080	30,041	93,253	8,843	56	-	-	-	133,308	39.4		
	L.M.+	-	-	-	-	-	41	2,372	9,098	1,244	27	-	-	-	12,782	3.8		
	L.M.	-	-	-	-	71	1,397	31,266	66,386	9,306	77	-	-	-	108,503	32.1		
	S.G.O.+	-	-	-	-	-	18	531	929	110	-	-	-	-	1,588	0.5		
Total	G.O.	-	-	-	-	8	636	5,094	5,465	489	-	-	-	-	11,692	3.5		
	G.O.+	-	-	-	-	-	-	10	9	-	-	-	-	-	19	-		
	G.O.	-	-	-	-	-	193	659	385	-	-	-	-	-	1,237	0.4		
	Total	-	-	-	11	110	3,521	74,447	190,030	21,671	173	-	-	-	289,963	85.9		
	Light Spotted:																	
	(12)	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.	-	-	-	-	-	-	39	98	-	-	-	-	-	147	-		
	M.	-	-	-	-	13	90	1,275	1,904	158	-	-	-	-	3,440	1.0		
	S.L.M.	-	-	-	-	-	450	7,587	11,626	2,327	50	-	-	-	22,040	6.5		
	L.M.	-	-	-	-	-	805	6,998	6,495	700	13	-	-	-	15,011	4.4		
Total	-	-	-	-	13	1,345	15,899	20,123	3,195	63	-	-	-	40,638	11.9			
Spotted:																		
(13)	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	-	-	-	-	-	-	10	-	-	-	-	-	-	10	-	-		
M.	-	-	-	-	-	-	128	94	10	232	-	-	-	1,675	0.1			
S.L.M.	-	-	-	-	-	73	802	647	153	94	-	-	-	2,515	0.5			
L.M.	-	-	-	-	-	360	1,307	754	94	-	-	-	-	4,432	1.3			
Total	-	-	-	-	-	433	2,247	1,495	257	-	-	-	-	-	-	-		
Tinged:																		
(14)	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	-	-	-	-	-	-	-	7	-	-	-	-	-	7	-	-		
S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.	-	-	-	-	-	-	57	15	-	-	-	-	-	72	-	-		
Total	-	-	-	-	-	-	57	22	-	-	-	-	-	79	-	-		
Light Gray:																		
(16)	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	-	-	-	-	-	-	19	29	-	-	-	-	-	48	-	-		
M.	-	-	-	-	-	-	110	126	-	-	-	-	-	236	0.1	-		
S.L.M.	-	-	-	-	-	28	97	89	25	-	-	-	-	239	0.1	-		
Total	-	-	-	-	-	28	226	244	25	-	-	-	-	523	0.2	-		
Gray:																		
(17)	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	-	-	-	-	-	-	-	18	-	-	-	-	-	18	-	-		
S.L.M.	-	-	-	-	-	9	-	7	-	-	-	-	-	16	-	-		
Total	-	-	-	-	-	9	-	25	-	-	-	-	-	34	-	-		
Below Grade																		
		-	-	-	-	45	569	1,165	486	10	-	-	-	-	2,275	0.7	-	
All grades																		
		-	-	-	11	169	5,905	94,041	212,425	25,158	236	-	-	-	337,944 1/2	100.0	-	
All grades																		
		-	-	-	-	-	1.7	27.8	63.0	7.4	0.1	-	-	-	100.0	-	-	
1/2 As reported by the Bureau of the Census, running bales.																		
* Less than 0.05 percent.																		
Percentage rough preparation.... 89.2																		
Grade index..... 33.8																		
Average staple..... 33.8																		

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation....
Grade index.....
Average staple.....

89.2
33.8

Table 8 -- Grade and staple of upland cotton ginned in Alabama, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)														40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		Percent	
White:																		
G.M.	(11)	-	-	-	-	-	-	12	15	-	-	-	-	-	27	0.2		
S.M.	(21)	-	-	-	-	-	14	531	541	42	30	-	-	-	1,158	0.2		
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(31)	-	-	-	28	162	615	5,579	8,756	756	-	-	-	-	15,896	2.9		
S.I.M.+	(40)	-	-	-	-	-	14	263	708	114	-	-	-	-	1,099	0.2		
S.I.M.	(41)	-	-	-	-	222	2,643	48,574	97,449	16,230	151	-	-	-	165,269	29.7		
I.M.+	(50)	-	-	-	-	13	38	1,819	6,250	2,356	12	-	-	-	10,488	1.9		
L.M.	(51)	-	-	-	-	80	2,015	51,020	78,650	12,918	175	14	-	-	144,872	26.1		
S.G.O.+	(60)	-	-	-	-	-	-	85	193	27	-	-	-	-	305	0.1		
S.G.O.	(61)	-	-	-	-	-	525	7,338	7,033	632	10	14	-	-	15,552	2.8		
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
G.O.	(71)	-	-	-	-	-	51	681	356	46	-	-	-	-	1,134	0.2		
Total		-	-	-	28	477	5,915	115,902	199,951	33,121	378	28	-	-	355,800	64.1		
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(22)	-	-	-	-	-	51	104	52	12	-	-	-	-	219	1.8		
M.	(32)	-	-	-	-	42	880	5,147	4,035	108	-	-	-	-	10,212	1.8		
S.I.M.	(42)	-	-	-	31	97	2,705	46,620	47,606	3,634	147	-	-	-	100,840	18.1		
L.M.	(52)	-	-	-	-	71	2,123	24,944	21,434	1,427	10	-	-	-	50,009	9.0		
Total		-	-	-	31	210	5,759	76,815	73,127	5,181	157	-	-	-	161,280	28.9		
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(23)	-	-	-	-	-	17	32	-	-	-	-	-	-	49	0.7		
M.	(33)	-	-	-	-	-	129	2,386	1,603	14	-	-	-	-	4,132	0.7		
S.I.M.	(43)	-	-	-	-	30	686	8,724	7,811	415	15	14	-	-	17,695	3.2		
L.M.	(53)	-	-	-	-	52	1,537	6,207	3,732	156	14	-	-	-	11,698	2.1		
Total		-	-	-	-	82	2,369	17,349	13,146	585	29	14	-	-	33,574	6.0		
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(34)	-	-	-	-	-	28	134	139	-	-	-	-	-	301	0.1		
S.I.M.	(44)	-	-	-	-	6	29	197	106	-	-	-	-	-	338	0.1		
L.M.	(54)	-	-	-	12	-	60	37	28	-	-	-	-	-	137	0.1		
Total		-	-	-	12	6	117	368	273	-	-	-	-	-	776	0.2		
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(36)	-	-	-	-	-	81	167	12	-	-	-	-	-	260	0.1		
S.I.M.	(46)	-	-	-	-	19	134	121	19	-	-	-	-	-	293	0.1		
Total		-	-	-	-	19	215	288	31	-	-	-	-	-	553	0.1		
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.I.M.	(47)	-	-	-	-	-	19	-	-	-	-	-	-	-	19	0.1		
Total		-	-	-	-	-	19	-	-	-	-	-	-	-	19	0.1		
Below Grade																		
		-	-	-	-	9	664	2,208	1,150	49	-	-	-	-	4,080	0.7		
All grades																		
		-	-	-	71	803	15,058	212,930	287,678	38,936	564	42	-	-	556,082	100.0		
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent		
		-	-	-	*	0.1	2.7	38.3	51.8	7.0	0.1	1.1	-	-	100.0			
1/ As reported by the Bureau of the Census, running bales.																		
* Less than 0.05 percent.																		
																Percentage rough preparation....	88.1	
																Grade index.....	33.6	
																Average staple.....		

Table B. -- Grade and staple of upland cotton ginned in Mississippi, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)														40 and longer		All staples									
		26 and shorter		28	29	30	31	32	Bales	33	Bales	34	Bales	35	Bales	36	Bales	37	Bales	38	Bales	39	Bales	Percent			
		Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Bales	Percent	Percent			
White:																											
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	0.2		
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,325	0.2	
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	0.2	
S.L.M.+	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68,163	3.5	
S.L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,887	0.4	
L.M.+	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	895,149	46.6	
L.M.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40,442	2.1	
S.G.O.+	(81)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	570,244	29.6	
S.G.O.	(91)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,736	0.1	
G.O.+	(101)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88,707	4.6	
G.O.	(111)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	0.7	
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13,766	0.7
Light Spotted:																											
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spotted:																											
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tinged:																											
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stained:																											
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																											
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																											
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																											
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent</						

As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation....

Grade index.....

Average staple.....

89.5

34.4

Table 8. -- Grade and staple of upland cotton ginned in Missouri 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)														40 and longer	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		Percent	
White:																		
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(21)	-	-	-	-	-	-	101	34	-	-	-	-	-	135	-	-	
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(31)	-	-	-	-	-	42	8,987	4,646	12	-	-	-	-	13,687	3.2	-	
S.L.M.+	(40)	-	-	-	-	-	-	448	723	-	-	-	-	-	1,171	0.3	-	
S.L.M.	(41)	-	-	-	-	-	29	95,791	47,469	297	-	-	-	-	145,093	34.1	-	
L.M.+	(50)	-	-	-	-	-	-	54	3,665	57	-	-	-	-	7,312	1.7	-	
L.M.	(51)	-	-	-	-	-	622	46,775	11,516	104	-	-	-	-	131,349	30.9	-	
S.G.O.+	(60)	-	-	-	-	-	-	186	588	223	-	-	-	-	997	0.2	-	
S.G.O.	(61)	-	-	-	-	17	2,091	17,634	5,180	310	-	-	-	-	25,232	5.9	-	
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.O.	(71)	-	-	-	-	11	396	1,384	180	23	-	-	-	-	1,994	0.5	-	
Total		-	-	-	-	28	3,138	67,592	187,272	68,480	470	-	-	-	326,970	76.8	-	
Light Spotted:																		
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	-	-	-	22	12	-	-	-	-	-	34	-	-	
M.	(32)	-	-	-	-	-	-	7,500	2,169	-	-	-	-	-	9,818	2.3	-	
S.L.M.	(42)	-	-	-	-	-	23	1,753	13,158	45	-	-	-	-	50,475	11.8	-	
L.M.	(52)	-	-	-	-	-	348	8,855	1,876	45	-	-	-	-	16,561	3.9	-	
Total		-	-	-	-	-	371	7,339	17,215	90	-	-	-	-	76,888	18.0	-	
Spotted:																		
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(33)	-	-	-	-	-	-	935	101	-	-	-	-	-	1,178	0.3	-	
S.L.M.	(43)	-	-	-	-	-	20	5,381	744	-	-	-	-	-	6,794	1.6	-	
L.M.	(53)	-	-	-	-	9	79	414	1,580	162	-	-	-	-	2,244	0.5	-	
Total		-	-	-	-	9	99	1,205	7,896	1,007	-	-	-	-	10,216	2.4	-	
Tinged:																		
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(34)	-	-	-	-	-	-	12	-	-	-	-	-	-	12	-	-	
S.L.M.	(44)	-	-	-	-	-	-	46	-	-	-	-	-	-	88	-	-	
L.M.	(54)	-	-	-	-	-	-	23	-	-	-	-	-	-	73	-	-	
Total		-	-	-	-	-	-	81	-	-	-	-	-	-	173	-	-	
Light Gray:																		
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(36)	-	-	-	-	-	29	897	316	23	-	-	-	-	1,265	0.3	-	
S.L.M.	(46)	-	-	-	-	-	659	6,997	1,315	-	-	-	-	-	8,971	2.1	-	
Total		-	-	-	-	-	688	7,894	1,631	23	-	-	-	-	10,236	2.4	-	
Gray:																		
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.M.	(47)	-	-	-	-	-	99	305	9	-	-	-	-	-	413	0.1	-	
Total		-	-	-	-	-	99	305	9	-	-	-	-	-	413	0.1	-	
Below Grade																		
		-	-	-	18	8	355	597	287	23	-	-	-	-	1,288	0.3	-	
All grades																		
		-	-	-	18	45	4,750	85,014	249,049	86,748	560	-	-	-	426,184	100.0	-	
All grades																		
		-	-	-	*	*	1.1	19.9	58.5	20.4	0.1	-	-	-	100.0	-	-	
1/ As reported by the Bureau of the Census, running bales.																		
* Less than 0.05 percent.																		
Percentage rough preparation.... 0.1																		
Grade index..... 88.5																		
Average staple..... 34.0																		

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percent rough preparation.... 0.1
 Grade index..... 88.5
 Average staple..... 34.0

Table 8.-- Grade and staple of upland cotton ginned in Arkansas, 1972-73 (Continued)

[illegible]

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)																40 and longer		All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales	Percent	Bales	Percent			
White:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	G.O.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Total		-	-	-	-	7	432	25,876	402,784	115,725	1,464	22	-	-	-	-	546,310	79.6		
Light Spotted:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Total		-	-	-	37	814	21,945	92,258	13,971	92	-	-	-	-	-	129,117	18.8			
	Spotted:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Total		-	-	-	7	112	2,219	4,829	338	11	-	-	-	-	-	7,516	1.1		
		Tinged:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total				-	-	-	-	-	-	100	128	-	-	-	-	-	-	228	•		
Stained:			G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Light Gray:		G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Gray:	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Below Grade			G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	S.L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	All Grades		G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		All grades	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Percentage rough preparation....			G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	S.L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Grade Index.....		G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Average stapl.....	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Average stapl.....			G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	S.L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Percentage rough preparation....		G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Grade Index.....	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Average stapl.....			G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	S.L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Average stapl.....		G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		S.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		S.L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		L.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Average stapl.....	G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
L.M.			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Average stapl.....			G.M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	S.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	S.L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	L.M.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)												26 and shorter Bales	Percent	
		28	29	30	31	32	33	34	35	36	37	38	39			40 and longer Bales
White:																
G.M.	(11)	-	-	-	-	-	11	-	-	-	-	-	-	-	11	-
S.M.	(21)	-	52	168	60	31	10	-	36	-	-	-	-	-	357	0.1
M.+	(30)	-	-	10	-	-	-	-	-	-	-	-	-	-	10	-
M.	(31)	42	661	4,514	3,461	1,576	533	531	320	74	-	-	-	-	11,712	3.7
S.L.M.+	(40)	-	-	95	95	66	68	10	-	-	-	-	-	-	334	0.1
S.L.M.	(41)	-	243	5,522	12,545	18,041	7,502	4,708	2,344	529	83	-	-	-	51,517	16.3
L.M.+	(50)	-	-	238	733	1,617	997	482	61	22	-	-	-	-	4,150	1.3
L.M.	(51)	21	180	4,502	14,986	24,035	12,636	6,755	2,220	178	-	-	-	-	65,513	20.8
S.G.O.+	(60)	-	-	22	54	281	137	172	-	-	-	-	-	-	666	0.2
S.G.O.	(61)	-	10	686	1,080	1,156	1,017	965	186	21	-	-	-	-	5,121	1.6
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	39	58	50	49	42	11	-	-	-	-	-	249	0.1
Total		63	1,146	15,796	33,072	46,853	22,960	13,665	5,178	824	83	-	-	-	139,640	44.2
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	21	125	226	141	-	10	-	-	-	-	-	-	-	523	0.2
M.	(32)	175	2,026	11,304	7,219	4,160	826	163	109	88	-	-	-	-	26,070	8.3
S.L.M.	(42)	92	1,243	20,636	31,339	29,679	7,230	1,396	429	344	31	-	-	-	92,419	29.3
L.M.	(52)	-	319	5,856	8,309	10,161	3,783	1,403	216	105	21	-	-	-	30,173	9.6
Total		288	3,713	38,022	47,008	44,000	11,849	2,962	754	537	52	-	-	-	149,185	47.4
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	10	-	-	-	-	-	-	-	-	-	-	10	-
M.	(33)	8	153	1,022	745	257	77	19	-	-	-	-	-	-	2,281	0.7
S.L.M.	(43)	31	431	3,726	5,109	4,438	964	157	29	-	10	-	-	-	14,895	4.7
L.M.	(53)	21	211	1,677	1,939	1,875	645	223	8	-	-	-	-	-	6,499	2.1
Total		60	795	6,435	7,693	6,570	1,686	399	37	-	10	-	-	-	23,685	7.5
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	8	24	63	87	8	-	-	-	-	-	-	-	-	190	0.1
S.L.M.	(44)	16	35	182	187	157	-	-	-	-	-	-	-	-	577	0.2
L.M.	(54)	-	-	137	111	59	19	-	-	-	-	-	-	-	326	0.1
Total		24	59	382	385	224	19	-	-	-	-	-	-	-	1,093	0.4
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	11	-	22	54	-	-	-	-	-	-	87	-
S.L.M.	(46)	-	-	-	-	-	-	22	-	-	-	-	-	-	22	-
Total		-	-	-	11	-	22	76	-	-	-	-	-	-	109	-
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	10	-	-	-	-	-	-	10	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	10	-	-	-	-	-	-	10	-
Below Grade																
		-	-	69	515	478	253	186	77	-	-	-	-	-	1,578	0.5
All grades																
		-	435	5,782	61,150	88,647	97,900	36,722	17,189	1,361	145	-	-	-	315,300	100.0
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	0.1	1.8	19.4	28.2	31.1	11.6	5.5	1.9	0.4	*	-	-	100.0	
As reported by the Bureau of the Census, running bales.																
Percentage rough preparation.....																
Grade index.....																
Average staple.....																
88.3																
31.6																

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1972-73 (Continued)

[illegible]

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1972-73 (Continued)

[illegible]

Table 8. -- Grade and staple of upland cotton ginned in California, 1972-73 (Continued)

Grade	Code	Staple Code (32nd inches)												40 and longer	All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38		39	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	703	9,287	3,255	-	-	-	-	13,245	0.8
M.	(31)	-	-	-	-	-	-	-	-	19	7	-	-	-	-	26	■
S.L.M.+	(40)	-	-	-	-	-	20	3,114	21,390	356,127	284,818	78	-	-	-	665,547	37.8
S.L.M.	(41)	-	-	-	-	-	-	-	826	62,230	86,560	-	-	-	-	149,616	8.5
L.M.+	(50)	-	-	-	-	-	173	8,570	39,999	218,229	278,908	297	-	-	-	546,176	31.0
L.M.	(51)	-	-	-	-	-	-	89	394	5,657	12,155	44	-	-	-	18,339	1.0
S.G.O.+	(60)	-	-	-	-	-	311	3,136	10,150	87,193	53,356	81	-	-	-	154,227	8.8
S.G.O.	(61)	-	-	-	-	-	-	46	595	441	19	-	-	-	-	1,101	0.1
G.O.+	(70)	-	-	-	-	-	336	605	6,000	37,266	9,326	-	-	-	-	53,533	3.0
G.O.	(71)	-	-	-	-	-	-	-	-	199	-	-	-	-	-	199	■
Total		-	-	-	8	8	933	15,722	83,967	789,409	730,278	519	-	-	-	1,620,836	92.1
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	54	704	1,752	10,061	7,060	-	-	-	-	242	■
S.L.M.	(42)	-	-	-	-	27	414	2,436	3,079	15,952	18,234	-	-	-	-	19,651	1.1
L.M.	(52)	-	-	-	44	175	1,532	1,744	1,788	6,534	3,932	88	-	-	-	40,142	2.3
Total		-	-	-	44	202	2,000	4,884	6,675	32,700	29,279	88	-	-	-	15,837	0.9
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	69	53	-	-	-	-	69	■
S.L.M.	(43)	-	-	-	-	-	35	96	149	1,934	560	-	-	-	-	1,191	0.1
L.M.	(53)	-	-	-	20	76	169	63	259	1,732	227	-	-	-	-	2,774	0.2
Total		-	-	-	20	76	204	159	468	4,628	1,025	-	-	-	-	2,546	0.1
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	10	31	-	-	-	-	41	■
S.L.M.	(44)	-	-	-	-	-	-	-	20	84	31	-	-	-	-	135	■
L.M.	(54)	-	-	-	-	-	-	-	35	64	-	-	-	-	-	99	■
Total		-	-	-	-	-	-	-	55	158	62	-	-	-	-	275	■
Stained:																	
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	7	-	-	-	-	-	-	7	■
Total		-	-	-	-	-	-	-	7	-	-	-	-	-	-	7	■
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	10	17	494	100	-	-	-	-	621	■
M.	(36)	-	-	-	-	-	38	487	3,328	12,635	1,936	-	-	-	-	18,424	1.0
S.L.M.	(46)	-	-	-	-	8	15	244	2,918	17,080	2,134	-	-	-	-	22,399	1.3
Total		-	-	-	-	8	53	741	6,263	30,209	4,170	-	-	-	-	41,444	2.3
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	30	271	886	69	-	-	-	-	10	■
S.L.M.	(47)	-	-	-	-	-	-	178	878	2,529	54	-	-	-	-	1,256	0.1
Total		-	-	-	-	-	-	208	1,149	3,425	123	-	-	-	-	3,639	0.2
Below Grade																	
		-	-	-	242	261	1,355	752	3,307	4,881	347	-	-	-	8	11,153	0.6
All grades																	
		-	-	-	314	547	4,545	22,466	101,891	865,410	765,284	607	-	-	8	1,761,072 1/2	100.0
All grades																	
		-	-	-	■	■	0.3	1.3	5.8	49.1	43.5	■	-	-	■	100.0	
1/ As reported by the Bureau of the Census, running bales.																	
Grade index..... 94.3																	
Average staple..... 35.3																	

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Percentage rough preparation...
 Grade index..... 94.3
 Average staple..... 35.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73

NORTH CAROLINA

SOUTH CAROLINA

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-			-	154	595	73	21	843
M.+	(30)	-	-	-	9	-	9			-	-	-	-	-	-
M.	(31)	-	16	488	349	42	895			-	1,867	8,427	1,611	220	12,125
S.L.M.+	(40)	-	-	473	85	-	558			-	385	855	164	-	1,404
S.L.M.	(41)	28	378	18,905	19,045	3,346	41,702			-	10,316	54,179	24,315	2,928	91,738
L.M.+	(50)	-	79	2,789	3,468	366	6,702			-	770	6,076	4,015	294	11,155
L.M.	(51)	9	236	5,672	12,590	6,769	25,276			-	4,215	40,897	37,487	12,006	94,605
S.G.O.+	(60)	-	-	221	66	10	297			-	19	962	1,402	105	2,488
S.G.O.	(61)	-	-	284	1,668	1,898	3,850			-	250	4,641	8,257	6,233	19,381
G.O.+	(70)	-	-	-	-	-	-			-	-	-	9	-	9
G.O.	(71)	-	-	-	104	229	333			-	-	656	792	1,260	2,708
Total		37	709	28,832	37,384	12,660	79,622			-	17,976	117,288	78,125	23,067	236,456
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-			-	38	351	100	-	489
M.	(32)	-	-	126	547	72	745			-	289	2,443	1,593	252	4,577
S.L.M.	(42)	-	79	1,402	11,337	5,836	18,654			-	1,289	10,686	9,331	2,640	23,946
L.M.	(52)	-	16	756	4,637	5,272	10,681			-	481	7,984	8,921	3,729	21,115
Total		-	95	2,284	16,521	11,180	30,080			-	2,097	21,464	19,945	6,621	50,127
Spotted:															
G.M.	(13)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-			-	-	-	9	-	9
M.	(33)	-	-	-	254	42	296			-	19	76	127	52	274
S.L.M.	(43)	-	-	32	3,034	2,758	5,824			-	-	305	564	628	1,497
L.M.	(53)	-	-	47	924	1,979	2,950			-	58	809	901	812	2,580
Total		-	-	79	4,212	4,779	9,070			-	77	1,190	1,601	1,492	4,360
Tinged:															
All grades		-	-	-	113	319	432			-	-	46	36	157	239
Light Gray:															
All grades		-	-	16	66	126	208			-	19	76	183	1,927	2,205
Gray:															
All grades		-	-	-	19	26	45			-	-	15	45	103	163
Below Grade															
All grades		-	-	126	160	246	532			-	38	489	783	477	1,787
All grades		37	804	31,337	58,475	29,336	119,989 ^{1/}			-	20,207	140,568	100,718	33,844	295,337 ^{1/}
Grade index		91.8	90.3	91.2	88.2	84.1	88.0			-	91.7	89.5	86.6	83.0	87.9 ¹
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	-	-			-	-	-	-	-	-
28		-	-	-	-	-	-			-	-	-	-	-	-
29		-	-	-	-	-	-			-	-	-	-	-	-
30		-	-	-	-	-	-			-	-	-	-	-	-
31		-	-	-	-	-	-			-	-	30	-	-	30
32		-	-	-	-	13	13			-	19	152	9	81	261
33		-	-	112	394	915	1,421			-	133	1,634	454	3,050	5,271
34		-	95	6,509	22,250	14,065	42,919			-	6,814	38,576	30,151	22,186	97,727
35		9	283	24,227	35,265	14,205	73,989			-	11,087	88,283	64,205	8,104	171,679
36		28	426	489	566	138	1,647			-	2,078	11,802	5,854	423	20,157
37		-	-	-	-	-	-			-	76	91	36	-	203
38		-	-	-	-	-	-			-	-	-	9	-	9
39		-	-	-	-	-	-			-	-	-	-	-	-
40 and longer		-	-	-	-	-	-			-	-	-	-	-	-
All staples		37	804	31,337	58,475	29,336	119,989 ^{1/}			-	20,207	140,568	100,718	33,844	295,337 ^{1/}
Average staple		35.8	35.4	34.8	34.6	34.5	34.6			-	34.8	34.8	34.8	34.2	34.7

^{1/} As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

GEORGIA

FLORIDA

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(21)	-	829	338	41	-	1,208			-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-			-	-	-	-	-	-
M.	(31)	40	9,554	5,540	491	55	15,680			-	68	452	-	-	520
S.L.M.+	(40)	-	2,471	1,425	50	-	3,946			-	-	34	-	-	34
S.L.M.	(41)	131	48,736	73,307	10,554	580	133,308			-	1,475	4,441	941	51	6,908
L.M.+	(50)	-	5,835	5,807	1,092	48	12,782			-	96	192	32	6	326
L.M.	(51)	40	11,248	63,142	28,830	5,243	108,503			-	615	1,266	1,443	214	3,538
S.G.O.+	(60)	-	134	1,018	412	24	1,588			-	-	11	8	-	19
S.G.O.	(61)	-	487	3,329	3,843	4,033	11,692			-	14	45	151	35	245
G.O.+	(70)	-	-	10	-	9	19			-	-	-	-	-	-
G.O.	(71)	-	-	83	229	925	1,237			-	-	-	-	13	13
Total		211	79,294	153,999	45,542	10,917	289,963			-	2,268	6,441	2,575	319	11,603
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(22)	-	27	97	23	-	147			-	-	-	-	-	-
M.	(32)	-	575	2,475	369	21	3,440			-	41	23	-	-	64
S.L.M.	(42)	-	2,582	13,008	5,465	985	22,040			-	150	396	430	19	995
L.M.	(52)	-	667	4,260	5,662	4,422	15,011			-	96	45	247	51	439
Total		-	3,851	19,840	11,519	5,428	40,638			-	287	464	677	70	1,498
Spotted:															
G.M.	(13)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(23)	-	-	10	-	-	10			-	-	-	-	-	-
M.	(33)	-	45	145	42	-	232			-	14	-	-	-	14
S.L.M.	(43)	-	58	628	692	297	1,675			-	-	11	24	-	35
L.M.	(53)	-	89	319	847	1,260	2,515			-	-	11	24	13	48
Total		-	192	1,102	1,581	1,557	4,432			-	14	22	48	13	97
Tinged:															
All grades		-	-	-	43	36	79			-	-	-	-	6	6
Light Gray:															
All grades		-	40	164	148	171	523			-	-	-	-	-	-
Gray:															
All grades		-	-	10	7	17	34			-	-	-	-	-	-
Below Grade															
		-	-	102	716	1,457	2,275			-	-	-	16	25	41
All grades		211	83,377	175,217	59,556	19,583	337,944 1/			-	2,569	6,927	3,316	433	13,245 1/
Grade index		93.4	93.0	89.7	85.7	79.3	89.2			-	91.0	92.1	87.1	82.6	90.3
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	-	-			-	-	-	-	-	-
28		-	-	-	-	-	-			-	-	-	-	-	-
29		-	-	-	-	-	-			-	-	-	-	-	-
30		-	-	11	-	-	11			-	-	-	-	-	-
31		-	13	75	47	33	168			-	-	-	-	-	-
32		-	405	2,054	1,429	2,017	5,905			-	-	22	8	12	42
33	30	12,540	47,621	22,858	10,992	94,041				-	520	519	836	195	2,070
34	161	62,437	110,758	32,775	6,294	212,425				-	1,721	5,630	2,360	180	9,891
35	20	7,861	14,603	2,427	247	25,158				-	328	756	112	46	1,242
36	-	121	95	20	-	236				-	-	-	-	-	-
37	-	-	-	-	-	-	-			-	-	-	-	-	-
38	-	-	-	-	-	-	-			-	-	-	-	-	-
39	-	-	-	-	-	-	-			-	-	-	-	-	-
40 and longer	-	-	-	-	-	-	-			-	-	-	-	-	-
All staples		211	83,377	175,217	59,556	19,583	337,944 1/			-	2,569	6,927	3,316	433	13,245 1/
Average staple		34.0	33.9	33.8	33.6	33.2	33.8			-	33.9	34.0	33.8	33.6	33.9

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

ALABAMA

MISSISSIPPI

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	15	12	-	-	27	-	19	12	-	-	-	-	31
S.M.	(21)	-	614	441	93	10	1,158	-	2,752	1,337	194	42	-	-	4,325
M.+	(30)	-	-	-	-	-	-	-	31	-	-	-	-	-	31
M.	(31)	20	4,788	8,295	2,602	191	15,896	30	30,100	34,370	3,158	505	-	-	68,163
S.L.M.+	(40)	-	451	489	159	-	1,099	-	2,053	4,524	275	35	-	-	6,887
S.L.M.	(41)	89	22,535	99,861	37,894	4,890	165,269	108	192,495	610,577	79,629	12,340	-	-	895,149
L.M.+	(50)	-	2,821	6,098	1,532	37	10,488	-	5,805	31,018	3,181	438	-	-	40,442
L.M.	(51)	42	9,413	65,980	52,838	16,599	144,872	16	47,956	363,477	95,173	63,622	-	-	570,244
S.G.O.+	(60)	-	142	88	59	16	305	-	56	1,412	212	56	-	-	1,736
S.G.O.	(61)	-	599	3,299	5,924	5,730	15,552	-	1,439	25,176	17,730	44,362	-	-	88,707
G.O.+	(70)	-	-	-	-	-	-	-	-	-	11	7	-	-	18
G.O.	(71)	-	39	137	425	533	1,134	-	130	1,914	1,849	9,873	-	-	13,766
Total		151	41,417	184,700	101,526	28,006	355,800	154	282,836	1,073,817	201,412	131,280	-	-	1,689,499
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	13	146	38	22	219	-	82	153	44	8	-	-	287
M.	(32)	-	1,101	5,754	3,034	323	10,212	-	4,786	10,593	1,849	504	-	-	17,732
S.L.M.	(42)	-	6,109	56,786	32,653	5,292	100,840	-	24,516	86,058	21,737	2,388	-	-	134,699
L.M.	(52)	-	2,538	17,630	19,613	10,228	50,009	-	5,030	31,698	14,205	6,670	-	-	57,603
Total		-	9,761	80,316	55,338	15,865	161,280	-	34,414	128,502	37,835	9,570	-	-	210,321
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	49	-	49	-	-	-	-	18	-	-	18
M.	(33)	-	446	2,521	1,085	80	4,132	-	96	653	178	17	-	-	944
S.L.M.	(43)	-	1,154	9,070	5,897	1,574	17,695	-	523	1,893	1,773	425	-	-	4,614
L.M.	(53)	-	324	3,317	3,736	4,321	11,698	-	262	1,739	1,810	2,200	-	-	6,011
Total		-	1,924	14,908	10,767	5,975	33,574	-	881	4,285	3,761	2,660	-	-	11,587
Tinged:															
All grades		-	56	322	230	168	776	-	15	83	138	93	-	-	329
Stained:															
All grades		-	-	-	-	-	-	-	-	23	-	-	-	-	23
Light Gray:															
All grades		-	-	12	45	496	553	-	62	607	179	5,456	-	-	6,304
Gray:															
All grades		-	-	-	-	19	19	-	15	-	33	639	-	-	687
Below Grade		-	15	859	1,642	1,564	4,080	-	228	1,865	1,625	3,815	-	-	7,533
All grades		151	53,173	281,117	169,548	52,093	556,082 1/	154	318,451	1,209,182	244,983	153,513	-	-	1,926,283 1/
Grade index		92.3	91.1	89.2	86.9	82.6	88.1	94.2	92.5	90.2	87.4	81.3	-	-	89.5
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	28	31	12	71	-	-	-	-	-	-	-	-
31		-	13	282	344	164	803	-	-	-	-	26	-	-	26
32		-	249	3,925	5,387	5,497	15,058	-	77	521	133	929	-	-	1,660
33		32	8,717	82,556	87,668	33,957	212,930	-	3,540	18,764	8,786	14,906	-	-	45,996
34		96	36,601	171,414	67,832	11,735	287,678	73	130,023	603,582	157,569	114,099	-	-	1,005,346
35		23	7,226	22,736	8,235	716	38,936	81	173,960	570,840	77,559	23,354	-	-	845,794
36		-	367	134	51	12	564	-	9,591	13,959	844	199	-	-	24,593
37		-	-	42	-	-	42	-	1,029	1,481	92	-	-	-	2,602
38		-	-	-	-	-	-	-	231	35	-	-	-	-	266
39		-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		151	53,173	281,117	169,548	52,093	556,082 1/	154	318,451	1,209,182	244,983	153,513	-	-	1,926,283 1/
Average staple		33.9	34.0	33.8	33.5	33.1	33.6	34.5	34.6	34.5	34.3	34.0	-	-	34.4

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

TENNESSEE

MISSOURI

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	24	-	-	-	24			-	-	-	-	-	-
S.M.	(21)	-	241	198	34	12	485			-	66	69	-	-	135
M.+	(30)	-	-	-	-	-	-			-	-	-	-	-	-
M.	(31)	-	5,213	10,614	1,501	61	17,389			-	6,586	6,980	121	-	13,687
S.L.M.+	(40)	-	652	1,318	67	-	2,037			-	925	231	15	-	1,171
S.L.M.	(41)	-	15,954	144,531	34,966	4,473	199,924			-	20,308	113,939	9,717	1,129	145,093
L.M.+	(50)	-	495	3,415	891	90	4,891			-	1,090	5,711	470	41	7,312
L.M.	(51)	-	2,619	52,818	38,632	31,554	125,623			-	253	40,876	49,044	41,176	131,349
S.G.O.+	(60)	-	-	264	118	8	390			-	-	450	402	145	997
S.G.O.	(61)	-	60	2,887	4,890	11,978	19,815			-	11	923	3,714	20,584	25,232
G.O.+	(70)	-	-	26	-	-	26			-	-	-	-	-	-
G.O.	(71)	-	12	105	319	980	1,416			-	-	58	197	1,739	1,994
Total		-	25,270	216,176	81,418	49,156	372,020			-	29,239	169,237	63,680	64,814	326,970
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(22)	-	12	66	6	-	84			-	22	12	-	-	34
M.	(32)	-	1,653	9,875	1,809	129	13,466			-	3,249	6,380	189	-	9,818
S.L.M.	(42)	-	2,305	58,632	17,867	3,172	81,976			-	5,099	40,276	4,449	651	50,475
L.M.	(52)	-	459	14,543	10,317	11,664	36,983			-	198	8,203	4,237	3,923	16,561
Total		-	4,429	83,116	29,999	14,965	132,509			-	8,568	54,871	8,875	4,574	76,888
Spotted:															
G.M.	(13)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(23)	-	-	-	6	-	6			-	-	-	-	-	-
M.	(33)	-	24	330	241	8	603			-	154	819	205	-	1,178
S.L.M.	(43)	-	169	2,189	1,865	402	4,625			-	275	4,823	1,675	21	6,794
L.M.	(53)	-	121	1,424	1,126	2,319	4,990			-	11	1,361	659	213	2,244
Total		-	314	3,943	3,238	2,729	10,224			-	440	7,003	2,539	234	10,216
Tinged:															
All grades		-	-	66	134	90	290			-	-	36	137	-	173
Light Gray:															
All grades		-	60	330	1,014	3,436	4,840			-	-	92	402	9,742	10,236
Gray:															
All grades		-	-	26	45	117	188			-	-	-	8	405	413
Below Grade															
		-	72	488	515	2,163	3,238			-	22	300	152	814	1,288
All grades															
		-	30,145	304,145	116,363	72,656	523,309 1/			-	38,269	231,539	75,793	80,583	426,184 1/
Grade index															
		-	93.6	90.7	87.7	82.3	89.0			-	94.4	90.7	85.5	82.0	88.5
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	-	-			-	-	-	-	-	-
28		-	-	-	-	-	-			-	-	-	-	-	-
29		-	-	-	-	12	12			-	-	-	-	-	-
30		-	-	-	-	-	-			-	-	-	-	18	18
31		-	-	422	-	142	564			-	-	-	16	29	45
32		-	60	1,212	685	4,165	6,122			-	22	47	539	4,142	4,750
33		-	1,893	44,748	27,909	37,259	111,809			-	198	1,767	24,861	58,188	85,014
34		-	16,874	229,721	83,545	30,324	360,464			-	20,924	160,499	49,460	18,166	249,049
35		-	9,931	27,818	4,184	754	42,687			-	16,982	68,809	917	40	86,748
36		-	1,363	224	40	-	1,627			-	143	417	-	-	560
37		-	24	-	-	-	24			-	-	-	-	-	-
38		-	-	-	-	-	-			-	-	-	-	-	-
39		-	-	-	-	-	-			-	-	-	-	-	-
40 and longer		-	-	-	-	-	-			-	-	-	-	-	-
All staples															
		-	30,145	304,145	116,363	72,656	523,309 1/			-	38,269	231,539	75,793	80,583	426,184 1/
Average staple															
		-	34.4	33.9	33.8	33.4	33.8			-	34.4	34.3	33.7	33.2	34.0

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

ARKANSAS								LOUISIANA							
Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	314	38	13	-	365	-	-	-	714	79	-	-	793
M.+	(30)	-	11	12	-	-	23	-	-	-	-	-	-	-	-
M.	(31)	-	24,123	19,368	1,510	23	45,024	54	20,587	14,494	1,597	17	-	-	36,749
S.L.M.+	(40)	-	2,498	1,824	110	15	4,447	-	2,642	1,458	94	-	-	-	4,194
S.L.M.	(41)	-	107,012	395,796	49,808	5,409	558,025	107	53,283	209,976	47,666	9,028	-	-	320,060
L.M.+	(50)	-	7,510	19,516	1,942	162	29,130	-	1,023	11,705	2,891	577	-	-	16,196
L.M.	(51)	-	17,383	272,550	100,322	62,458	452,713	-	3,815	76,921	43,787	29,156	-	-	153,679
S.G.O.+	(60)	-	89	920	226	185	1,420	-	-	296	51	454	-	-	801
S.G.O.	(61)	-	312	11,311	20,338	37,447	69,408	-	151	2,225	3,427	6,800	-	-	12,603
G.O.+	(70)	-	-	13	-	8	21	-	-	-	42	140	-	-	182
G.O.	(71)	-	22	592	1,242	5,774	7,630	-	-	57	146	850	-	-	1,053
Total		-	159,274	721,940	175,511	111,481	1,168,206	161	82,215	317,211	99,701	47,022	-	-	546,310
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	77	25	-	-	102	-	-	23	-	-	-	-	23
M.	(32)	-	3,691	5,128	661	43	9,523	-	3,698	8,110	1,392	9	-	-	13,209
S.L.M.	(42)	-	14,979	94,277	19,948	1,278	130,482	-	5,378	62,214	23,588	2,491	-	-	93,671
L.M.	(52)	-	2,023	26,932	14,832	8,661	52,448	-	532	10,986	7,720	2,976	-	-	22,214
Total		-	20,770	126,362	35,441	9,982	192,555	-	9,608	81,333	32,700	5,476	-	-	129,117
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	12	-	-	-	12	-	-	-	-	-	-	-	-
M.	(33)	-	91	390	188	8	677	-	94	318	306	18	-	-	736
S.L.M.	(43)	-	457	3,082	2,385	119	6,043	-	80	1,945	2,268	308	-	-	4,601
L.M.	(53)	-	226	1,582	2,249	1,721	5,778	-	34	737	975	433	-	-	2,179
Total		-	786	5,054	4,822	1,848	12,510	-	208	3,000	3,549	759	-	-	7,516
Tinged:															
All grades		-	-	40	281	22	343	-	-	34	159	35	-	-	228
Stained:															
All grades		-	-	-	-	-	-	-	-	-	8	-	-	-	8
Light Gray:															
All grades		-	30	4,946	1,066	9,499	15,541	-	58	578	277	686	-	-	1,599
Gray:															
All grades		-	-	75	6	1,147	1,228	-	-	-	7	8	-	-	15
Below Grade		-	11	522	1,169	3,855	5,557	-	-	339	442	334	-	-	1,115
All grades		-	180,871	858,939	218,296	137,834	1,395,940 1/	161	92,089	402,495	136,843	54,320	-	-	685,908 1/
Grade index		-	93.2	89.8	86.1	81.2	88.8	96.0	94.8	91.1	88.5	84.8	-	-	90.6
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	6	115	121	-	-	-	58	-	-	-	58
32		-	144	216	290	3,736	4,386	-	47	854	428	45	-	-	1,374
33		-	6,418	18,534	12,521	50,296	87,769	-	5,467	31,069	8,966	5,514	-	-	51,016
34		-	63,236	599,810	167,144	79,859	910,049	69	61,208	279,234	113,606	47,614	-	-	501,731
35		-	104,686	236,442	38,071	3,820	383,019	92	24,771	90,375	13,755	1,147	-	-	130,140
36		-	6,387	3,925	264	8	10,584	-	596	941	30	-	-	-	1,567
37		-	-	12	-	-	12	-	-	22	-	-	-	-	22
38		-	-	-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		-	180,871	858,939	218,296	137,834	1,395,940 1/	161	92,089	402,495	136,843	54,320	-	-	685,908 1/
Average staple		-	34.6	34.3	34.1	33.6	34.2	34.6	34.2	34.1	34.0	33.9	-	-	34.1

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

OKLAHOMA

TEXAS

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	11	11	-	-	-	-	-	-	-	-
S.M.	(21)	-	36	302	11	8	357	367	81	623	90	19	50	1,180	1,180
M.+	(30)	-	-	10	-	-	10	-	-	-	-	-	-	-	-
M.	(31)	-	967	9,562	774	409	11,712	27,668	28,000	14,835	6,894	18,265	95,662	95,662	95,662
S.L.M.+	(40)	-	-	251	56	27	334	1,481	937	2,150	2,661	1,224	8,453	8,453	8,453
S.L.M.	(41)	-	216	9,201	7,442	34,658	51,517	144,291	71,981	47,040	102,482	377,798	743,592	743,592	743,592
L.M.+	(50)	-	-	273	1,044	2,833	4,150	3,678	2,764	1,191	5,395	6,475	19,503	19,503	19,503
L.M.	(51)	-	-	2,835	14,100	48,578	65,513	93,432	21,655	18,235	95,083	310,210	538,615	538,615	538,615
S.G.O.+	(60)	-	-	21	347	298	666	309	74	23	521	538	1,465	1,465	1,465
S.G.O.	(61)	-	-	209	1,320	3,592	5,121	12,993	4,933	4,602	14,084	38,996	75,608	75,608	75,608
G.O.+	(70)	-	-	-	-	-	-	36	-	-	-	94	130	130	130
G.O.	(71)	-	-	10	11	228	249	1,102	829	588	740	4,410	7,669	7,669	7,669
Total		-	1,219	22,674	25,105	90,642	139,640	285,357	131,254	89,287	227,950	758,079	1,491,927	1,491,927	1,491,927
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	12	-	-	10	22	22	22
S.M.	(22)	-	72	395	45	11	523	87	66	119	35	184	491	491	491
M.	(32)	-	570	13,075	3,891	8,534	26,070	32,805	96,839	26,975	16,148	143,193	315,960	315,960	315,960
S.L.M.	(42)	-	36	6,611	14,585	71,187	92,419	116,593	98,721	64,944	84,036	607,042	971,336	971,336	971,336
L.M.	(52)	-	-	744	5,158	24,271	30,173	60,449	50,307	30,682	38,203	303,596	483,237	483,237	483,237
Total		-	678	20,825	23,679	104,003	149,185	209,934	245,945	122,720	138,422	1,054,025	1,771,046	1,771,046	1,771,046
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	10	-	-	10	-	33	10	11	492	546	546	546
M.	(33)	-	-	281	146	1,854	2,281	1,412	3,176	1,406	3,610	72,870	82,474	82,474	82,474
S.L.M.	(43)	-	-	322	611	13,962	14,895	7,889	4,675	5,290	13,670	256,048	287,572	287,572	287,572
L.M.	(53)	-	36	63	183	6,217	6,499	8,865	5,953	4,684	7,888	158,449	185,839	185,839	185,839
Total		-	36	676	940	22,033	23,685	18,166	13,837	11,390	25,179	487,859	556,431	556,431	556,431
Tinged:															
All grades		-	-	-	-	1,093	1,093	117	48	96	1,017	190,897	192,175	192,175	192,175
Stained:															
All grades		-	-	-	-	-	-	-	-	-	-	470	470	470	470
Light Gray:															
All grades		-	-	-	56	53	109	1,255	56	85	71	816	2,283	2,283	2,283
Gray:															
All grades		-	-	-	-	10	10	147	-	7	34	157	345	345	345
Below Grade															
All grades		-	-	31	57	1,490	1,578	5,003	3,998	2,008	1,385	42,269	54,663	54,663	54,663
Grade index															
All grades		-	1,933	44,206	49,837	219,324	315,300 1/	519,979	395,138	225,593	394,058	2,534,572	4,069,340 1/	4,069,340 1/	4,069,340 1/
Grade index		-	97.9	94.5	88.0	87.0	88.3	88.8	90.6	89.3	88.0	85.5	86.9	86.9	86.9
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	-	-	14	24	67	5	264	374	374	374
28		-	-	323	11	101	435	121	200	1,447	70	9,403	11,241	11,241	11,241
29		-	108	3,276	496	1,902	5,782	3,729	4,744	16,738	5,237	125,131	155,579	155,579	155,579
30		-	757	15,291	12,451	32,651	61,150	32,416	66,920	64,329	53,171	526,949	743,785	743,785	743,785
31		-	540	9,367	14,894	63,846	88,647	43,391	129,578	53,363	97,350	759,379	1,083,061	1,083,061	1,083,061
32		-	138	5,341	13,036	79,385	97,900	42,336	101,426	24,448	103,085	698,267	969,562	969,562	969,562
33		-	-	2,693	5,260	28,769	36,722	120,868	35,434	10,987	60,459	285,487	513,235	513,235	513,235
34		-	72	4,185	3,048	9,884	17,189	265,070	51,717	29,891	44,636	90,506	481,820	481,820	481,820
35		-	246	2,593	538	2,592	5,969	11,716	4,754	11,252	12,270	23,785	63,777	63,777	63,777
36		-	72	1,013	103	173	1,361	304	243	2,543	11,299	12,649	27,038	27,038	27,038
37		-	-	124	-	21	145	14	98	10,181	6,280	2,532	19,105	19,105	19,105
38		-	-	-	-	-	-	-	-	333	90	162	585	585	585
39		-	-	-	-	-	-	-	-	-	-	20	20	20	20
40 and longer		-	-	-	-	-	-	-	-	14	106	38	158	158	158
All staples		-	1,933	44,206	49,837	219,324	315,300 1/	519,979	395,138	225,593	394,058	2,534,572	4,069,340 1/	4,069,340 1/	4,069,340 1/
Average staple		-	31.4	31.4	31.4	31.6	31.6	33.1	31.7	31.7	32.1	31.4	31.7	31.7	31.7

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

NEW MEXICO

ARIZONA

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop			Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	12	-	-	12	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	341	63	-	404	-	254	98	59	61	472	-	-
M.+	(30)	-	-	-	-	-	-	-	50	-	-	-	50	-	-
M.	(31)	-	182	10,015	9,749	1,390	21,336	-	18,893	27,050	3,630	4,167	53,740	-	-
S.L.M.+	(40)	-	163	2,186	6,209	685	9,243	-	1,175	1,609	712	759	4,255	-	-
S.L.M.	(41)	-	178	12,218	32,067	7,870	52,333	-	9,361	44,150	150,201	87,537	291,249	-	-
L.M.+	(50)	-	-	125	3,339	727	4,191	-	-	872	4,521	3,314	8,707	-	-
L.M.	(51)	-	-	523	3,287	2,461	6,271	-	505	7,574	50,559	40,231	98,869	-	-
S.G.O.+	(60)	-	-	-	32	9	41	-	-	49	434	266	749	-	-
S.G.O.	(61)	-	-	-	122	561	683	-	-	543	4,884	12,407	17,834	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	212	212	-	-	-	87	708	6,105	6,900	-
Total		-	523	25,420	54,868	13,915	94,726	-	30,238	82,032	215,708	154,847	482,825	-	-
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	11	8	19	-	21	122	32	18	193	-	-
M.	(32)	-	-	2,693	3,833	3,652	10,178	-	5,244	8,972	4,239	3,793	22,248	-	-
S.L.M.	(42)	-	-	2,413	4,542	7,377	14,332	-	962	7,816	12,373	12,860	34,011	-	-
L.M.	(52)	-	-	116	825	3,856	4,797	-	195	706	3,712	8,389	13,002	-	-
Total		-	-	5,222	9,211	14,893	29,326	-	6,422	17,616	20,356	25,060	69,454	-	-
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	11	-	11	-	-	-	12	15	27	-	-
M.	(33)	-	-	50	402	2,211	2,663	-	253	106	229	619	1,207	-	-
S.L.M.	(43)	-	-	87	504	7,409	8,000	-	59	406	375	1,007	1,847	-	-
L.M.	(53)	-	-	25	181	4,898	5,104	-	-	153	271	1,862	2,286	-	-
Total		-	-	162	1,098	14,518	15,778	-	312	665	887	3,503	5,367	-	-
Tinged:															
All grades		-	-	-	101	7,829	7,930	-	-	12	12	252	276	-	-
Stained:															
All grades		-	-	-	-	9	9	-	-	-	-	-	-	-	-
Light Gray:															
All grades		-	-	-	11	-	11	-	-	2,342	8,139	2,210	12,691	-	-
Gray:															
All grades		-	-	-	-	-	-	-	-	238	301	140	679	-	-
Below Grade		-	-	-	74	3,218	3,292	-	54	206	2,087	17,481	19,828	-	-
All grades		-	523	30,804	65,363	54,382	151,072 1/	-	37,026	103,111	247,490	203,493	591,120 1/	-	-
Grade index		-	97.0	95.9	93.9	83.7	90.7	-	97.3	94.4	90.9	86.4	90.4	-	-
Staple Code (32nd inches)															
26 and shorter		-	-	-	-	18	18	-	-	-	-	-	-	-	-
28		-	-	-	44	140	184	-	-	-	-	76	76	-	-
29		-	-	-	87	2,812	2,899	-	-	-	-	195	195	-	-
30		-	-	11	689	9,724	10,424	-	-	-	248	3,007	3,255	-	-
31		-	-	-	911	5,841	6,752	-	-	36	242	3,835	4,113	-	-
32		-	-	-	1,230	6,453	7,683	-	139	194	1,170	22,198	23,701	-	-
33		-	-	-	1,201	4,011	5,212	-	816	756	7,666	23,286	32,524	-	-
34		-	-	81	1,596	4,672	6,349	-	17,129	47,286	202,238	135,910	402,563	-	-
35		-	163	561	4,836	6,135	11,695	-	18,908	51,951	27,335	10,868	109,062	-	-
36		-	142	7,878	23,618	12,159	43,797	-	34	1,864	6,571	3,403	11,872	-	-
37		-	208	20,950	28,726	2,408	52,292	-	-	1,024	1,990	459	3,473	-	-
38		-	10	1,323	2,414	9	3,756	-	-	-	-	100	100	-	-
39		-	-	-	11	-	11	-	-	-	-	25	25	-	-
40 and longer		-	-	-	-	-	-	-	-	-	30	131	161	-	-
All staples		-	523	30,804	65,363	54,382	151,072 1/	-	37,026	103,111	247,490	203,493	591,120 1/	-	-
Average staple		-	36.1	36.7	36.1	33.1	35.1	-	34.5	34.6	34.1	33.6	34.1	-	-

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1972-73 (Cont'd.)

CALIFORNIA

Grade and Staple		Prior to Sept. 1	September	October	November	After Nov. 30	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	2,034	9,639	1,494	78	13,245
M.+	(30)	-	-	19	7	-	26
M.	(31)	-	30,077	508,598	114,081	12,791	665,547
S.L.M.+	(40)	-	4,357	111,850	31,714	1,695	149,616
S.L.M.	(41)	-	7,121	273,892	221,927	43,236	546,176
L.M.+	(50)	-	-	6,859	9,724	1,756	18,339
L.M.	(51)	-	133	18,935	57,147	78,012	154,227
S.G.O.+	(60)	-	-	97	511	493	1,101
S.G.O.	(61)	-	-	521	8,131	44,881	53,533
G.O.+	(70)	-	-	-	14	185	199
G.O.	(71)	-	-	63	1,422	17,342	18,827
Total		-	43,722	930,473	446,172	200,469	1,620,836
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	-	120	68	54	242
M.	(32)	-	1,166	12,633	4,574	1,278	19,651
S.L.M.	(42)	-	326	20,313	15,021	4,482	40,142
L.M.	(52)	-	15	3,335	5,593	6,894	15,837
Total		-	1,507	36,401	25,256	12,708	75,872
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	69	-	-	69
M.	(33)	-	-	210	563	418	1,191
S.L.M.	(43)	-	-	660	979	1,135	2,774
L.M.	(53)	-	-	225	595	1,726	2,546
Total		-	-	1,164	2,137	3,279	6,580
Tinged:							
All grades		-	-	78	54	143	275
Stained:							
All grades		-	-	-	7	-	7
Light Gray:							
All grades		-	30	775	5,530	35,109	41,444
Gray:							
All grades		-	-	16	228	4,661	4,905
Below Grade							
All grades		-	-	128	1,578	9,447	11,153
Grade index							
All grades		-	45,259	969,035	480,962	265,816	1,761,072 ^{1/}
Staple Code (32nd inches)							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	6	308	314
31		-	-	36	50	461	547
32		-	-	53	588	3,904	4,545
33		-	30	1,411	9,642	11,383	22,466
34		-	1,674	18,685	44,506	37,026	101,891
35		-	14,558	461,910	220,955	167,987	865,410
36		-	28,919	486,464	205,172	44,729	765,284
37		-	78	476	43	10	607
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	8	8
All staples		-	45,259	969,035	480,962	265,816	1,761,072 ^{1/}
Average staple							
All staples		-	35.6	35.5	35.3	34.9	35.3

^{1/} As reported by the Bureau of the Census, running bales.

SOUTHEASTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73

		RALEIGH		COLUMBIA		AUGUSTA	
Grade and Staple		Ginned in State		Classing	Ginned in State		Ginned in State
		North	Virginia	Office	South		Georgia
		Carolina		total	Carolina		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	-	-	843	-	744
M.+	(30)	9	-	9	-	-	-
M.	(31)	895	-	895	12,125	-	8,280
S.L.M.+	(40)	558	-	558	1,404	-	2,215
S.L.M.	(41)	41,702	79	41,781	91,738	-	30,782
L.M.+	(50)	6,702	-	6,702	11,155	-	4,399
L.M.	(51)	25,276	114	25,390	94,605	-	15,047
S.G.O.+	(60)	297	-	297	2,488	-	212
S.G.O.	(61)	3,850	44	3,894	19,381	-	2,107
G.O.+	(70)	-	-	-	9	-	10
G.O.	(71)	333	-	333	2,708	-	226
Total		79,622	237	79,859	236,456	-	64,022
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	-	-	489	-	126
M.	(32)	745	-	745	4,577	-	2,278
S.L.M.	(42)	18,654	336	18,990	23,946	-	11,439
L.M.	(52)	10,681	192	10,873	21,115	-	3,343
Total		30,080	528	30,608	50,127	-	17,186
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	9	-	10
M.	(33)	296	-	296	274	-	139
S.L.M.	(43)	5,824	154	5,978	1,497	-	601
L.M.	(53)	2,950	225	3,175	2,580	-	581
Total		9,070	379	9,449	4,360	-	1,331
Tinged:							
All grades		432	10	442	239	-	43
Light Gray:							
All grades		208	-	208	2,205	-	444
Gray:							
All grades		45	10	55	163	-	18
Below Grade							
		532	11	543	1,787	-	315
All grades		119,989	1,175	121,164	295,337	-	83,359
Grade index		88.0	83.0	88.0	87.9	-	90.8
Staple Code (32nd inches)							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	-	-	-
31		-	-	-	30	-	13
32		13	10	23	261	-	293
33		1,421	33	1,454	5,271	-	15,417
34		42,919	712	43,631	97,727	-	55,460
35		73,989	410	74,399	171,679	-	12,060
36		1,647	10	1,657	20,157	-	116
37		-	-	-	203	-	-
38		-	-	-	9	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		119,989	1,175	121,164	295,337	-	83,359
Average staple		34.6	34.3	34.6	34.7	-	34.0

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

		ATLANTA		BIRMINGHAM		MONTGOMERY		Classing Office total
Grade and Staple		Ginned in State Georgia	::	Ginned in State Alabama	::	Ginned in State Alabama	Florida	
Grade	Code	Bales	::	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	-	::	15	::	12	-	12
S.M.	(21)	464	::	434	::	724	-	724
M.+	(30)	-	::	-	::	-	-	-
M.	(31)	7,400	::	8,279	::	7,617	520	8,137
S.L.M.+	(40)	1,731	::	518	::	581	34	615
S.L.M.	(41)	102,526	::	97,573	::	67,696	6,908	74,604
L.M.+	(50)	8,383	::	3,642	::	6,846	326	7,172
L.M.	(51)	93,456	::	94,529	::	50,343	3,538	53,881
S.G.O.+	(60)	1,376	::	94	::	211	19	230
S.G.O.	(61)	9,585	::	9,457	::	6,095	245	6,340
G.O.+	(70)	9	::	-	::	-	-	-
G.O.	(71)	1,011	::	567	::	567	13	580
Total		225,941	::	215,108	::	140,692	11,603	152,295
Light Spotted:								
G.M.	(12)	-	::	-	::	-	-	-
S.M.	(22)	21	::	85	::	134	-	134
M.	(32)	1,162	::	7,577	::	2,635	64	2,699
S.L.M.	(42)	10,601	::	86,235	::	14,605	995	15,600
L.M.	(52)	11,668	::	41,211	::	8,798	439	9,237
Total		23,452	::	135,108	::	26,172	1,498	27,670
Spotted:								
G.M.	(13)	-	::	-	::	-	-	-
S.M.	(23)	-	::	42	::	7	-	7
M.	(33)	93	::	4,051	::	81	14	95
S.L.M.	(43)	1,074	::	17,043	::	652	35	687
L.M.	(53)	1,934	::	10,296	::	1,402	48	1,450
Total		3,101	::	31,432	::	2,142	97	2,239
Tinged:								
All grades		36	::	694	::	82	6	88
Light Gray:								
All grades		79	::	485	::	68	-	68
Gray:								
All grades		16	::	19	::	-	-	-
Below Grade								
		1,960	::	3,128	::	952	41	993
All grades								
		254,585	::	385,974	::	170,108	13,245	183,353
Grade index								
		88.6	::	87.6	::	89.3	90.3	89.3
Staple Code (32nd inches)								
26 and shorter		-	::	-	::	-	-	-
28		-	::	-	::	-	-	-
29		-	::	-	::	-	-	-
30		11	::	71	::	-	-	-
31		155	::	784	::	19	-	19
32		5,612	::	14,094	::	964	42	1,006
33		78,624	::	173,771	::	39,159	2,070	41,229
34		156,965	::	186,025	::	101,653	9,891	111,544
35		13,098	::	10,711	::	28,225	1,242	29,467
36		120	::	476	::	88	-	88
37		-	::	42	::	-	-	-
38		-	::	-	::	-	-	-
39		-	::	-	::	-	-	-
40 and longer		-	::	-	::	-	-	-
All staples								
		254,585	::	385,974	::	170,108	13,245	183,353
Average staple								
		33.7	::	33.5	::	33.9	33.9	33.9

SOUTH CENTRAL SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

		GREENWOOD		JACKSON	
Grade and Staple		Ginned in State	::	Ginned in State	
		Mississippi	::	Mississippi	
Grade	Code	Bales	::	Bales	
White:			::		
G.M.	(11)	-	::	-	
S.M.	(21)	2,156	::	1,508	
M.+	(30)	31	::	-	
M.	(31)	48,855	::	8,587	
S.L.M.+	(40)	3,289	::	818	
S.L.M.	(41)	726,380	::	56,974	
L.M.+	(50)	30,700	::	1,407	
L.M.	(51)	476,567	::	27,947	
S.G.O.+	(60)	1,580	::	80	
S.G.O.	(61)	70,128	::	4,291	
G.O.+	(70)	-	::	6	
G.O.	(71)	11,795	::	633	
Total		1,371,481	::	102,251	
Light Spotted:			::		
G.M.	(12)	-	::	-	
S.M.	(22)	54	::	190	
M.	(32)	7,437	::	3,602	
S.L.M.	(42)	86,228	::	22,530	
L.M.	(52)	36,659	::	8,684	
Total		130,378	::	35,006	
Spotted:			::		
G.M.	(13)	-	::	-	
S.M.	(23)	10	::	8	
M.	(33)	258	::	65	
S.L.M.	(43)	2,723	::	932	
L.M.	(53)	3,061	::	1,070	
Total		6,052	::	2,075	
Tinged:			::		
All grades		204	::	16	
Stained:			::		
All grades		23	::	-	
Light Gray:			::		
All grades		5,136	::	548	
Gray:			::		
All grades		600	::	33	
Below Grade		4,979	::	709	
All grades		1,518,853	::	140,638	
Grade index		89.5	::	90.0	
Staple Code (32nd inches)			::		
26 and shorter		-	::	-	
28		-	::	-	
29		-	::	-	
30		-	::	-	
31		-	::	-	
32		240	::	300	
33		9,462	::	11,741	
34		717,785	::	99,965	
35		764,741	::	28,444	
36		23,757	::	188	
37		2,602	::	-	
38		266	::	-	
39		-	::	-	
40 and longer		-	::	-	
All staples		1,518,853	::	140,638	
Average staple		34.5	::	34.1	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

		MEMPHIS				HAYTI	
Grade and Staple		Ginned in State				Classing Office total	Ginned in State Missouri
		Tennessee	Kentucky	Arkansas	Mississippi		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	24	-	-	31	55	-
S.M.	(21)	485	-	90	661	1,236	135
M.+	(30)	-	-	-	-	-	-
M.	(31)	17,389	313	2,502	10,721	30,925	13,687
S.L.M.+	(40)	2,037	10	201	2,780	5,028	1,171
S.L.M.	(41)	199,924	684	33,352	111,795	345,755	145,093
L.M.+	(50)	4,891	-	1,498	8,335	14,724	7,312
L.M.	(51)	125,623	103	26,029	65,730	217,485	131,349
S.G.O.+	(60)	390	-	37	76	503	997
S.G.O.	(61)	19,815	41	3,594	14,288	37,738	25,232
G.O.+	(70)	26	-	13	12	51	-
G.O.	(71)	1,416	-	462	1,338	3,216	1,994
Total		372,020	1,151	67,778	215,767	656,716	326,970
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	84	-	12	43	139	34
M.	(32)	13,466	148	929	6,693	21,236	9,818
S.L.M.	(42)	81,976	202	6,976	25,941	115,095	50,475
L.M.	(52)	36,983	20	2,508	12,260	51,771	16,561
Total		132,509	370	10,425	44,937	188,241	76,888
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	6	-	12	-	18	-
M.	(33)	603	-	12	621	1,236	1,178
S.L.M.	(43)	4,625	44	137	959	5,765	6,794
L.M.	(53)	4,990	-	164	1,880	7,034	2,244
Total		10,224	44	325	3,460	14,053	10,216
Tinged:							
All grades		290	-	-	109	399	173
Light Gray:							
All grades		4,840	85	2,602	620	8,147	10,236
Gray:							
All grades		188	22	118	54	382	413
Below Grade		3,238	-	375	1,845	5,458	1,288
All grades		523,309	1,672	81,623	266,792	873,396	426,184
Grade index		89.0	93.0	89.1	89.4	89.1	88.5
Staple Code (32nd inches)							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		12	-	-	-	12	-
30		-	-	-	-	-	18
31		564	-	-	26	590	45
32		6,122	11	304	1,120	7,557	4,750
33		111,809	240	5,316	24,793	142,158	85,014
34		360,464	1,281	65,038	187,596	614,379	249,049
35		42,687	140	10,928	52,609	106,364	86,748
36		1,627	-	37	648	2,312	560
37		24	-	-	-	24	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		523,309	1,672	81,623	266,792	873,396	426,184
Average staple		33.8	33.9	34.1	34.1	33.9	34.0

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

		BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA	
		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
Grade and Staple		Arkansas	::	Arkansas	::	Louisiana	::	Louisiana	
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	
S.M.	(21)	206	::	69	::	326	::	467	
M.+	(30)	23	::	-	::	-	::	-	
M.	(31)	15,585	::	26,937	::	22,214	::	14,535	
S.L.M.+	(40)	1,676	::	2,570	::	3,893	::	301	
S.L.M.	(41)	159,819	::	364,854	::	215,728	::	104,332	
L.M.+	(50)	10,133	::	17,499	::	13,490	::	2,706	
L.M.	(51)	190,632	::	236,052	::	124,942	::	28,737	
S.G.O.+	(60)	412	::	971	::	460	::	341	
S.G.O.	(61)	30,430	::	35,384	::	7,916	::	4,687	
G.O.+	(70)	-	::	8	::	8	::	174	
G.O.	(71)	3,012	::	4,156	::	478	::	575	
Total		411,928	::	688,500	::	389,455	::	156,855	
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	90	::	-	::	23	::	-	
M.	(32)	4,849	::	3,745	::	11,326	::	1,883	
S.L.M.	(42)	41,721	::	81,785	::	75,283	::	18,388	
L.M.	(52)	13,579	::	36,361	::	16,085	::	6,129	
Total		60,239	::	121,891	::	102,717	::	26,400	
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	-	::	-	::	-	::	-	
M.	(33)	400	::	265	::	597	::	139	
S.L.M.	(43)	3,559	::	2,347	::	3,630	::	971	
L.M.	(53)	1,877	::	3,737	::	1,481	::	698	
Total		5,836	::	6,349	::	5,708	::	1,808	
Tinged:									
All grades		38	::	305	::	210	::	18	
Stained:									
All grades		-	::	-	::	-	::	8	
Light Gray:									
All grades		9,915	::	3,024	::	1,339	::	260	
Gray:									
All grades		950	::	160	::	15	::	-	
Below Grade		2,047	::	3,135	::	652	::	463	
All grades		490,953	::	823,364	::	500,096	::	185,812	
Grade index		88.1	::	89.2	::	90.3	::	91.3	
Staple Code (32nd inches)									
26 and shorter		-	::	-	::	-	::	-	
28		-	::	-	::	-	::	-	
29		-	::	-	::	-	::	-	
30		-	::	-	::	-	::	-	
31		121	::	-	::	58	::	-	
32		1,764	::	2,318	::	1,365	::	9	
33		40,809	::	41,644	::	46,066	::	4,950	
34		297,114	::	547,897	::	370,011	::	131,720	
35		146,273	::	225,818	::	81,761	::	48,379	
36		4,860	::	5,687	::	813	::	754	
37		12	::	-	::	22	::	-	
38		-	::	-	::	-	::	-	
39		-	::	-	::	-	::	-	
40 and longer		-	::	-	::	-	::	-	
All staples		490,953	::	823,364	::	500,096	::	185,812	
Average staple		34.2	::	34.2	::	34.1	::	34.2	

SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

ALTUS				DALLAS				
Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State		Classing Office total
		Oklahoma	Texas			Texas	Oklahoma	
Grade	Code	Bales	Bales	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	11	-	11	::	-	-	-
S.M.	(21)	346	31	377	::	97	11	108
M.+	(30)	10	-	10	::	-	-	-
M.	(31)	10,597	6,780	17,377	::	29,814	1,115	30,929
S.L.M.+	(40)	281	309	590	::	932	53	985
S.L.M.	(41)	46,862	65,898	112,760	::	64,864	4,655	69,519
L.M.+	(50)	3,832	4,137	7,969	::	2,697	318	3,015
L.M.	(51)	58,216	31,370	89,586	::	21,765	7,297	29,062
S.G.O.+	(60)	666	345	1,011	::	71	-	71
S.G.O.	(61)	3,468	1,237	4,705	::	4,876	1,653	6,529
G.O.+	(70)	-	-	-	::	-	-	-
G.O.	(71)	61	10	71	::	1,000	188	1,188
Total		124,350	110,117	234,467	::	126,116	15,290	141,406
Light Spotted:								
G.M.	(12)	-	10	10	::	12	-	12
S.M.	(22)	512	93	605	::	148	11	159
M.	(32)	25,538	45,521	71,059	::	110,400	532	110,932
S.L.M.	(42)	88,090	98,508	186,598	::	69,720	4,329	74,049
L.M.	(52)	24,717	14,179	38,896	::	19,898	5,456	25,354
Total		138,857	158,311	297,168	::	200,178	10,328	210,506
Spotted:								
G.M.	(13)	-	-	-	::	-	-	-
S.M.	(23)	10	-	10	::	23	-	23
M.	(33)	2,270	5,653	7,923	::	4,200	11	4,211
S.L.M.	(43)	14,014	15,034	29,048	::	4,688	881	5,569
L.M.	(53)	4,921	5,717	10,638	::	3,074	1,578	4,652
Total		21,215	26,404	47,619	::	11,985	2,470	14,455
Tinged:								
All grades		1,072	857	1,929	::	22	21	43
Light Gray:								
All grades		56	9	65	::	291	53	344
Gray:								
All grades		-	-	-	::	75	10	85
Below Grade								
		855	758	1,613	::	2,440	723	3,163
All grades								
		286,405	296,456	582,861	::	341,107	28,895	370,002
Grade index								
		88.6	90.1	89.3	::	92.1	85.2	91.6
Staple Code (32nd inches)								
26 and shorter		-	31	31	::	41	-	41
28		404	75	479	::	1,563	31	1,594
29		4,741	545	5,286	::	23,350	1,041	24,391
30		51,053	11,403	62,456	::	127,787	10,097	137,884
31		82,738	61,178	143,916	::	114,381	5,909	120,290
32		95,902	168,629	264,531	::	56,400	1,998	58,398
33		35,221	50,030	85,251	::	12,514	1,501	14,015
34		12,079	4,084	16,163	::	3,704	5,110	8,814
35		2,915	390	3,305	::	1,290	3,054	4,344
36		1,207	64	1,271	::	77	154	231
37		145	27	172	::	-	-	-
38		-	-	-	::	-	-	-
39		-	-	-	::	-	-	-
40 and longer		-	-	-	::	-	-	-
All staples		286,405	296,456	582,861	::	341,107	28,895	370,002
Average staple		31.6	31.9	31.7	::	30.8	31.7	30.8

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
		Texas	::	Texas	::	Texas	::	Texas	
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	
S.M.	(21)	71	::	-	::	296	::	21	
M.+	(30)	-	::	-	::	-	::	9	
M.	(31)	14,762	::	5,150	::	9,255	::	9,585	
S.L.M.+	(40)	298	::	129	::	1,216	::	222	
S.L.M.	(41)	57,276	::	46,593	::	76,048	::	89,055	
L.M.+	(50)	1,062	::	705	::	2,561	::	502	
L.M.	(51)	18,986	::	23,663	::	69,721	::	77,006	
S.G.O.+	(60)	42	::	37	::	262	::	32	
S.G.O.	(61)	7,982	::	3,645	::	8,569	::	11,145	
G.O.+	(70)	-	::	14	::	22	::	-	
G.O.	(71)	1,392	::	319	::	800	::	597	
Total		101,871	::	80,255	::	168,750	::	188,174	
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	20	::	-	::	9	::	145	
M.	(32)	20,134	::	8,913	::	3,103	::	33,389	
S.L.M.	(42)	94,373	::	42,578	::	59,962	::	198,852	
L.M.	(52)	67,259	::	21,552	::	38,073	::	107,075	
Total		181,786	::	73,043	::	101,147	::	339,461	
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	10	::	-	::	-	::	78	
M.	(33)	609	::	453	::	297	::	4,529	
S.L.M.	(43)	3,788	::	4,644	::	4,073	::	26,722	
L.M.	(53)	7,565	::	5,458	::	5,154	::	25,407	
Total		11,972	::	10,555	::	9,524	::	56,736	
Tinged:									
All grades		88	::	62	::	62	::	875	
Light Gray:									
All grades		193	::	257	::	1,032	::	111	
Gray:									
All grades		-	::	28	::	93	::	21	
Below Grade									
		4,887	::	2,535	::	3,665	::	2,957	
All grades									
		300,797	::	166,735	::	284,273	::	588,335	
Grade index									
		87.4	::	88.1	::	87.5	::	87.0	
Staple Code (32nd inches)									
26 and shorter		-	::	38	::	-	::	20	
28		162	::	120	::	-	::	111	
29		1,832	::	2,339	::	44	::	3,836	
30		19,062	::	17,739	::	511	::	79,350	
31		74,618	::	24,617	::	827	::	285,627	
32		69,621	::	28,479	::	4,497	::	171,109	
33		39,811	::	37,692	::	73,639	::	39,751	
34		88,358	::	49,246	::	199,575	::	7,571	
35		7,311	::	6,181	::	5,160	::	821	
36		22	::	270	::	20	::	139	
37		-	::	14	::	-	::	-	
38		-	::	-	::	-	::	-	
39		-	::	-	::	-	::	-	
40 and longer		-	::	-	::	-	::	-	
All staples									
		300,797	::	166,735	::	284,273	::	588,335	
Average staple									
		32.4	::	32.5	::	33.7	::	31.3	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

LUBBOCK					EL PASO				
Grade and Staple		Ginned in State		Classing Office total	Ginned in State			Classing Office total	
		Texas	New Mexico		Texas	New Mexico	Arizona		
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
White:									
G.M.	(11)	-	-	-	-	12	-	12	
S.M.	(21)	47	-	47	606	158	-	764	
M.+	(30)	41	-	41	-	-	-	-	
M.	(31)	8,170	-	8,170	7,130	10,384	2,049	19,563	
S.L.M.+	(40)	97	-	97	1,829	3,682	483	5,994	
S.L.M.	(41)	300,356	102	300,458	14,320	26,371	10,777	51,468	
L.M.+	(50)	3,154	14	3,168	1,090	2,921	1,315	5,326	
L.M.	(51)	290,805	209	291,014	1,127	1,838	812	3,777	
S.G.O.+	(60)	460	-	460	-	-	-	-	
S.G.O.	(61)	36,226	105	36,331	381	169	34	584	
G.O.+	(70)	81	-	81	-	-	-	-	
G.O.	(71)	2,139	-	2,139	206	113	-	319	
Total		641,576	430	642,006	26,689	45,648	15,470	87,807	
Light Spotted:									
G.M.	(12)	-	-	-	-	-	-	-	
S.M.	(22)	41	-	41	35	19	12	66	
M.	(32)	83,965	23	83,988	4,461	7,035	5,247	16,743	
S.L.M.	(42)	390,205	792	390,997	5,035	6,910	4,090	16,035	
L.M.	(52)	212,058	1,040	213,098	1,308	1,710	486	3,504	
Total		686,269	1,855	688,124	10,839	15,674	9,835	36,348	
Spotted:									
G.M.	(13)	-	-	-	-	-	-	-	
S.M.	(23)	435	-	435	-	-	12	12	
M.	(33)	65,852	117	65,969	389	506	568	1,463	
S.L.M.	(43)	225,927	3,146	229,073	1,007	1,311	685	3,003	
L.M.	(53)	132,009	2,229	134,238	567	795	250	1,612	
Total		424,223	5,492	429,715	1,963	2,612	1,515	6,090	
Tinged:									
All grades		190,006	4,439	194,445	102	201	228	531	
Stained:									
All grades		470	-	470	-	-	-	-	
Light Gray:									
All grades		328	-	328	-	11	-	11	
Gray:									
All grades		128	-	128	-	-	-	-	
Below Grade		33,892	660	34,552	1,008	585	792	2,385	
All grades		1,976,892	12,876	1,989,768	40,601	64,731	27,840	133,172	
Grade index		85.0	77.1	84.9	92.5	93.2	92.0	92.7	
Staple Code (32nd inches)									
26 and shorter		219	-	219	-	-	-	-	
28		9,072	59	9,131	-	-	-	-	
29		123,194	1,618	124,812	-	414	-	414	
30		483,865	5,423	489,288	-	385	7	392	
31		516,697	2,897	519,594	17	561	-	578	
32		456,616	1,317	457,933	680	1,656	395	2,731	
33		252,427	944	253,371	1,856	929	611	3,396	
34		91,087	433	91,520	5,349	1,623	4,650	11,622	
35		25,796	141	25,937	8,990	3,394	7,285	19,669	
36		14,098	28	14,126	10,576	25,431	11,479	47,486	
37		3,590	16	3,606	12,601	29,315	3,413	45,329	
38		173	-	173	412	1,023	-	1,435	
39		20	-	20	-	-	-	-	
40 and longer		38	-	38	120	-	-	120	
All staples		1,976,892	12,876	1,989,768	40,601	64,731	27,840	133,172	
Average staple		31.3	30.7	31.3	35.7	36.1	35.4	35.8	

WESTERN




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

		CARLSBAD		PHOENIX		FRESNO	
Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State	
		New Mexico	Texas			Arizona	California
Grade	Code	Bales	Bales	Bales	::	Bales	Bales
White:					::		
G.M.	(11)	-	-	-	::	-	-
S.M.	(21)	246	11	257	::	262	6,279
M.+	(30)	-	-	-	::	-	19
M.	(31)	10,952	5,016	15,968	::	44,480	262,215
S.L.M.+	(40)	5,561	3,421	8,982	::	2,941	84,290
S.L.M.	(41)	25,860	29,182	55,042	::	256,504	210,935
L.M.+	(50)	1,256	3,595	4,851	::	7,014	7,494
L.M.	(51)	4,224	4,172	8,396	::	81,175	72,785
S.G.O.+	(60)	41	216	257	::	729	373
S.G.O.	(61)	409	1,547	1,956	::	15,201	26,503
G.O.+	(70)	-	13	13	::	-	-
G.O.	(71)	99	1,206	1,305	::	6,542	8,602
Total		48,648	48,379	97,027	::	414,848	679,495
Light Spotted:					::		
G.M.	(12)	-	-	-	::	-	-
S.M.	(22)	-	-	-	::	181	88
M.	(32)	3,120	6,074	9,194	::	15,595	3,513
S.L.M.	(42)	6,630	12,103	18,733	::	25,347	9,642
L.M.	(52)	2,047	1,835	3,882	::	9,112	3,151
Total		11,797	20,012	31,809	::	50,235	16,394
Spotted:					::		
G.M.	(13)	-	-	-	::	-	-
S.M.	(23)	11	-	11	::	15	38
M.	(33)	2,040	492	2,532	::	623	216
S.L.M.	(43)	3,543	1,689	5,232	::	964	1,277
L.M.	(53)	2,080	888	2,968	::	1,952	1,226
Total		7,674	3,069	10,743	::	3,554	2,757
Tinged:					::		
All grades		3,290	101	3,391	::	48	156
Stained:					::		
All grades		9	-	9	::	-	-
Light Gray:					::		
All grades		-	62	62	::	10,907	22,579
Gray:					::		
All grades		-	-	-	::	501	2,769
Below Grade		2,047	2,521	4,568	::	14,965	3,839
All grades		73,465	74,144	147,609	::	495,058	727,989
Grade index		90.8	90.4	90.6	::	90.5	94.1
Staple Code (32nd inches)					::		
26 and shorter	18	25	43	-	::	-	-
28	125	138	263	76	::	-	-
29	867	439	1,306	169	::	-	-
30	4,616	4,068	8,684	3,070	::	6	6
31	3,294	5,099	8,393	3,921	::	10	10
32	4,710	13,531	18,241	21,052	::	10	10
33	3,339	5,515	8,854	27,861	::	395	395
34	4,293	32,846	37,139	358,214	::	13,572	13,572
35	8,160	7,838	15,998	80,022	::	372,230	372,230
36	18,338	1,772	20,110	327	::	341,433	341,433
37	22,961	2,873	25,834	60	::	333	333
38	2,733	-	2,733	100	::	-	-
39	11	-	11	25	::	-	-
40 and longer	-	-	-	161	::	-	-
All staples		73,465	74,144	147,609	::	495,058	727,989
Average staple		35.1	33.4	34.2	::	34.0	35.5

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1972-73 (Cont'd.)

BAKERSFIELD					EL CENTRO			
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total	
		California	Nevada		California	Arizona		
Grade	Code	Bales	Bales	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	::	-	-	-
S.M.	(21)	6,826	20	6,846	::	140	210	350
M.+	(30)	7	30	37	::	-	50	50
M.	(31)	380,959	1,251	382,210	::	22,373	7,211	29,584
S.L.M.+	(40)	64,833	290	65,123	::	493	831	1,324
S.L.M.	(41)	284,529	642	285,371	::	50,712	23,968	74,680
L.M.+	(50)	10,302	-	10,302	::	543	378	921
L.M.	(51)	69,990	90	70,080	::	11,452	16,882	28,334
S.G.O.+	(60)	713	-	713	::	15	20	35
S.G.O.	(61)	25,419	-	25,419	::	1,611	2,599	4,210
G.O.+	(70)	199	-	199	::	-	-	-
G.O.	(71)	9,941	-	9,941	::	284	358	642
Total		853,718	2,523	856,241	::	87,623	52,507	140,130
Light Spotted:								
G.M.	(12)	-	-	-	::	-	-	-
S.M.	(22)	139	-	139	::	15	-	15
M.	(32)	13,664	9	13,673	::	2,474	1,406	3,880
S.L.M.	(42)	24,805	27	24,832	::	5,695	4,574	10,269
L.M.	(52)	8,457	21	8,478	::	4,229	3,404	7,633
Total		47,065	57	47,122	::	12,413	9,384	21,797
Spotted:								
G.M.	(13)	-	-	-	::	-	-	-
S.M.	(23)	31	-	31	::	-	-	-
M.	(33)	965	-	965	::	10	16	26
S.L.M.	(43)	1,337	9	1,346	::	160	198	358
L.M.	(53)	949	-	949	::	371	84	455
Total		3,282	9	3,291	::	541	298	839
Tinged:								
All grades		119	-	119	::	-	-	-
Stained:								
All grades		7	-	7	::	-	-	-
Light Gray:								
All grades		15,777	-	15,777	::	3,088	1,784	4,872
Gray:								
All grades		1,938	-	1,938	::	198	178	376
Below Grade								
		4,855	-	4,855	::	2,459	4,071	6,530
All grades								
		926,761	2,589	929,350	::	106,322	68,222	174,544
Grade index								
		94.7	96.9	94.7	::	92.2	88.4	90.7
Staple Code (32nd inches)								
26 and shorter		-	-	-	::	-	-	-
28		-	-	-	::	-	-	-
29		-	-	-	::	-	26	26
30		-	-	-	::	308	178	486
31		-	-	-	::	537	192	729
32		-	-	-	::	4,535	2,254	6,789
33		215	-	215	::	21,856	4,052	25,908
34		17,883	-	17,883	::	70,436	39,699	110,135
35		484,538	214	484,752	::	8,642	21,755	30,397
36		423,851	2,114	425,965	::	-	66	66
37		274	261	535	::	-	-	-
38		-	-	-	::	-	-	-
39		-	-	-	::	-	-	-
40 and longer		-	-	-	::	8	-	8
All staples								
		926,761	2,589	929,350	::	106,322	68,222	174,544
Average staple								
		35.4	36.0	35.4	::	33.8	34.2	33.9

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1972-73 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average 'mike			
	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.
Va.	-	-	-	2.8	-	-	-	-	6.4	9.2	42.6	46.8	46.3	35.1	4.7	5.2	-	0.9	-	2.8	95.3	91.1	4.7	6.1	4.4	4.4		
N. C.	*	*	0.3	0.3	1.6	1.8	2.4	2.7	18.8	21.3	47.6	44.3	24.8	26.2	3.9	3.1	0.6	0.3	4.3	4.8	91.2	91.8	4.5	3.4	4.2	4.2		
S. C.	*	*	0.2	0.3	1.6	1.5	2.6	2.0	26.8	17.9	55.4	45.8	13.0	27.0	0.4	4.8	*	0.7	4.4	3.8	95.2	90.7	0.4	5.5	4.1	4.3		
Ga.	-	-	*	*	0.5	0.6	1.4	1.2	17.8	15.5	56.1	45.1	22.4	30.8	1.7	5.5	0.1	1.3	1.9	1.8	96.3	91.4	1.8	6.8	4.2	4.3		
Fla.	-	-	-	0.5	-	1.3	0.2	2.5	0.2	12.1	6.4	53.9	40.1	28.7	44.7	1.0	8.2	-	0.2	4.3	0.4	94.7	91.2	1.0	8.4	4.3	4.5	
Ala.	*	*	0.2	0.2	1.0	0.9	1.2	1.7	12.6	16.4	50.4	46.2	31.7	30.5	2.8	3.7	0.1	0.4	2.4	2.8	94.7	93.1	2.9	4.1	4.3	4.3		
Miss.	*	*	0.7	0.1	2.6	0.9	2.3	1.2	9.3	8.9	37.2	36.1	40.7	43.0	6.8	8.9	0.4	0.9	5.6	2.2	87.2	88.0	7.2	9.8	4.4	4.4		
Ky.	-	-	-	-	0.4	0.6	1.0	1.2	28.4	32.1	48.2	57.4	20.3	8.1	1.7	-	-	0.6	1.4	1.8	96.9	97.6	1.7	0.6	4.1	4.1		
Tenn.	*	*	0.1	0.4	0.7	0.8	1.5	12.7	20.9	51.0	53.2	32.7	22.1	2.3	1.4	0.1	0.1	0.1	1.2	2.3	96.4	96.2	2.4	1.5	4.3	4.2		
Mo.	*	-	0.3	*	2.2	1.1	3.4	2.4	23.2	23.2	44.8	51.1	24.4	21.3	1.7	0.9	*	5.9	3.5	92.4	95.6	1.7	0.9	4.2	4.2			
Ark.	*	*	0.3	0.1	1.7	0.6	2.0	0.9	13.7	10.4	42.8	37.8	35.6	38.8	3.7	9.4	0.2	2.0	4.0	1.6	92.1	87.0	3.9	11.4	4.3	4.4		
Ia.	0.1	-	1.1	*	3.5	0.6	2.8	0.8	15.0	8.7	43.1	43.3	31.2	37.8	3.1	7.3	0.1	1.5	7.5	1.4	89.3	89.8	3.2	8.8	4.2	4.4		
Okla.	0.5	*	3.7	*	11.2	0.5	10.8	1.0	35.6	8.1	29.7	24.5	8.0	41.2	0.5	19.0	*	5.7	26.2	1.5	73.3	73.8	0.5	24.7	3.8	4.6		
Tex.	9.4	5.3	19.9	12.3	19.0	17.4	7.1	9.1	11.1	18.8	11.2	18.9	13.1	13.3	5.5	3.7	3.7	1.2	55.4	44.1	35.4	51.0	9.2	4.9	3.6	3.7		
N. M.	3.1	1.9	10.4	9.1	17.7	17.5	14.6	13.4	38.5	41.2	14.8	16.0	0.9	0.9	-	*	-	*	45.8	41.9	54.2	58.1	-	*	3.5	3.5		
Ariz.	0.1	0.1	0.8	1.1	2.8	2.7	2.7	2.2	12.6	9.4	31.1	29.4	42.3	45.4	7.1	9.0	0.5	0.7	6.4	6.1	86.0	84.2	7.6	9.7	4.4	4.4		
Nev.	1.5	-	10.9	0.6	19.3	6.0	11.1	10.9	40.0	35.1	16.5	35.8	0.7	11.6	-	-	-	-	42.8	17.5	57.2	82.5	-	-	3.5	3.9		
Calif.	0.1	*	0.9	0.3	2.1	1.0	2.0	1.1	15.5	7.6	46.3	37.5	31.8	49.5	1.3	2.9	*	0.1	5.1	2.4	93.6	94.6	1.3	3.0	4.2	4.4		
U. S.	2.4	1.7	5.6	4.0	6.5	6.3	3.7	3.8	14.1	14.1	35.0	32.8	27.5	30.7	4.1	5.6	1.1	1.0	18.2	15.8	76.6	77.6	5.2	6.6	4.1	4.2		

* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average					
	1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		Below 3.5		3.5-4.9		5.0 and above		1971	1972	Rdg.	Rdg.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.
NORTH CAROLINA																												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	100.0	-	-	-	-	-	-	-	-	-	-	100.0	-	-	-	-	4.2
Sept.	-	-	0.6	-	1.3	-	2.2	-	21.4	31.4	53.6	49.0	18.7	19.6	2.2	-	-	-	-	4.1	-	93.7	100.0	2.2	-	4.2	4.2	4.2
Oct.	-	-	-	0.1	0.8	0.4	1.9	1.3	21.2	22.8	53.9	49.6	19.9	24.4	2.1	1.3	0.2	0.1	2.7	1.8	95.0	96.8	2.3	1.4	4.2	4.2	4.2	4.2
Nov.	-	*	0.3	0.1	1.9	1.4	2.7	2.6	20.4	20.0	47.9	43.5	22.8	27.9	3.4	4.2	0.6	0.3	4.9	4.1	91.1	91.4	4.0	4.5	4.2	4.2	4.2	4.2
After Nov. 30	-	0.2	0.6	1.2	1.8	3.9	2.5	4.7	13.3	21.9	40.3	40.0	33.7	25.1	6.8	2.9	1.0	0.1	4.9	10.0	87.3	87.0	7.8	3.0	4.3	4.3	4.1	4.1
Total crop	*	-	0.3	0.3	1.6	1.8	2.4	2.7	18.8	21.3	47.6	44.3	24.8	26.2	3.9	3.1	0.6	0.3	4.3	4.8	91.2	91.8	4.5	3.4	4.2	4.2	4.2	4.2
SOUTH CAROLINA																												
Prior to Sept. 1	-	-	-	-	-	-	-	-	7.7	-	92.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.1	-
Sept.	*	-	0.1	-	1.4	-	1.9	0.4	29.8	6.0	54.0	33.8	12.4	41.2	0.4	14.0	-	4.6	3.4	0.4	96.2	81.0	0.4	18.6	4.1	4.6	4.1	4.6
Oct.	-	-	*	0.1	0.8	0.2	2.1	0.6	24.4	13.4	58.5	47.5	13.9	31.9	0.3	5.6	-	0.7	2.9	0.9	96.8	92.8	0.3	6.3	4.1	4.3	4.1	4.3
Nov.	*	*	0.3	0.6	1.8	2.0	2.9	2.5	27.4	21.6	55.8	48.4	11.4	21.8	0.4	2.9	-	0.2	5.0	5.1	94.6	91.8	0.4	3.1	4.1	4.1	4.1	4.2
After Nov. 30	0.1	*	0.9	1.1	3.3	5.9	4.3	6.7	27.5	33.1	47.0	37.9	16.3	13.9	0.5	1.3	0.1	0.1	8.6	13.7	90.8	84.9	0.6	1.4	4.1	4.1	4.0	4.0
Total crop	*	-	0.2	0.3	1.6	1.5	2.6	2.0	26.8	17.9	55.4	45.8	13.0	27.0	0.4	4.8	-	0.7	4.4	3.8	95.2	90.7	0.4	5.5	4.1	4.1	4.3	4.3
GEORGIA																												
Prior to Sept. 1	-	-	-	-	-	-	-	-	6.1	4.7	69.6	52.2	24.3	38.4	-	4.7	-	-	-	-	-	100.0	95.3	-	4.7	4.3	4.4	4.4
Sept.	-	-	0.1	0.1	0.3	1.0	1.3	1.5	14.1	18.4	50.6	45.3	28.5	25.8	3.6	6.0	0.5	1.9	1.7	2.6	94.2	89.5	4.1	7.9	4.3	4.3	4.3	4.3
Oct.	-	-	-	-	0.3	0.3	1.1	1.1	16.6	15.9	54.3	47.0	25.4	29.5	2.1	4.9	0.2	1.3	1.4	1.4	96.3	92.4	2.3	6.2	4.3	4.3	4.3	4.3
Nov.	-	-	0.1	*	0.4	0.4	1.3	1.0	18.1	11.9	59.1	42.2	19.8	38.2	1.2	5.7	-	0.6	1.8	1.4	97.0	92.3	1.2	6.3	4.2	4.2	4.4	4.4
After Nov. 30	-	-	0.1	0.1	1.4	1.2	2.1	1.6	21.3	12.0	52.9	33.6	20.6	41.6	1.5	8.3	0.1	1.6	3.6	2.9	94.8	87.2	1.6	9.9	4.2	4.2	4.4	4.4
Total crop	-	-	*	-	0.5	0.6	1.4	1.2	17.8	15.5	56.1	45.1	22.4	30.8	1.7	5.5	0.1	1.3	1.9	1.8	96.3	91.4	1.8	6.8	4.2	4.2	4.3	4.3
FLORIDA																												
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	2.8	-	6.4	1.4	12.1	4.4	37.3	10.4	33.4	48.2	7.6	34.2	0.4	1.4	-	-	21.3	5.8	78.3	92.8	0.4	1.4	3.8	4.3	4.3	4.3
Total crop	-	-	0.5	-	1.3	0.2	2.5	0.2	12.1	6.4	53.9	40.1	28.7	44.7	1.0	8.2	-	0.2	4.3	0.4	94.7	91.2	1.0	8.4	4.3	4.3	4.5	4.5

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike				
	1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		1971 1972		Below 3.5		3.5-4.9		5.0 and above		1971	1972			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.			
<u>ALABAMA</u>																											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	18.5	61.5	53.1	38.5	28.4	-	-	-	-	-	100.0	100.0	-	-	4.5	4.3		
Sept.	-	-	-	-	-	0.4	1.3	12.0	15.9	47.9	46.1	35.7	31.6	4.0	4.3	0.4	0.4	-	1.7	95.6	93.6	4.4	4.7	4.4	4.3		
Oct.	-	-	-	-	0.1	0.2	0.1	0.7	7.7	13.4	50.1	48.6	38.6	32.7	3.3	3.8	0.1	0.6	0.2	0.9	96.4	94.7	3.4	4.4	4.4	4.3	
Nov.	-	-	0.4	0.9	1.9	0.9	2.3	2.5	17.6	18.5	52.2	44.7	23.7	29.1	1.8	3.9	0.1	0.4	4.6	3.4	93.5	92.3	1.9	4.3	4.2	4.3	
After Nov. 30	0.1	0.1	1.1	1.2	3.1	4.4	4.1	4.6	23.5	26.6	47.8	39.6	18.9	21.1	1.4	2.1	-	0.3	8.4	10.3	90.2	87.3	1.4	2.4	4.1	4.1	
Total crop	-	-	0.2	0.2	1.0	0.9	1.2	1.7	12.6	16.4	50.4	46.2	31.7	30.5	2.8	3.7	0.1	0.4	2.4	2.8	94.7	93.1	2.9	4.1	4.3	4.3	
<u>MISSISSIPPI</u>																											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	25.0	24.7	75.0	75.3	-	-	-	-	-	-	100.0	100.0	-	-	4.6	4.6	
Sept.	-	-	-	-	-	-	0.1	0.1	2.2	3.0	20.4	27.9	48.7	51.9	23.1	14.6	5.5	2.5	0.1	0.1	71.3	82.8	28.6	17.1	4.7	4.6	
Oct.	-	-	-	-	-	-	0.1	0.2	0.5	3.4	6.9	36.0	37.1	50.4	45.8	9.5	9.0	0.5	0.6	0.2	0.6	89.8	89.8	10.0	9.6	4.5	4.5
Nov.	-	-	0.9	0.2	4.3	1.5	4.1	2.3	15.5	14.4	41.2	40.7	30.5	35.2	3.4	5.2	0.1	0.5	9.3	4.0	87.2	90.3	3.5	5.7	4.2	4.3	
After Nov. 30	0.5	-	6.5	1.3	18.5	7.0	12.2	7.8	26.0	28.2	23.6	37.7	11.4	16.4	1.2	1.5	0.1	0.1	37.7	16.1	61.0	82.3	1.3	1.6	3.7	4.0	
Total crop	-	-	0.7	0.1	2.6	0.9	2.3	1.2	9.3	8.9	37.2	36.1	40.7	43.0	6.8	8.9	0.4	0.9	5.6	2.2	87.2	88.0	7.2	9.8	4.4	4.4	
<u>TENNESSEE</u>																											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	-	-	-	-	-	-	-	0.4	6.1	8.2	44.6	45.5	41.9	4.0	3.7	-	0.3	-	0.4	96.0	95.6	4.0	4.0	4.4	4.4
Oct.	-	-	-	-	0.1	0.3	0.3	0.9	8.1	16.2	48.5	56.5	39.9	24.5	3.0	1.5	0.1	0.1	0.4	1.2	96.5	97.2	3.1	1.6	4.4	4.3	
Nov.	-	-	-	-	0.1	0.7	1.0	1.4	2.2	17.9	26.7	55.0	51.7	23.6	17.4	1.3	0.9	0.1	-	2.1	3.3	96.5	95.8	1.4	0.9	4.2	4.1
After Nov. 30	-	-	0.4	0.3	2.1	2.3	3.3	3.4	29.0	36.3	51.9	46.0	12.8	11.3	0.5	0.4	-	-	5.8	6.0	93.7	93.6	0.5	0.4	4.1	4.0	
Total crop	-	-	-	-	0.1	0.4	0.7	0.8	1.5	12.7	20.9	51.0	53.2	32.7	22.1	2.3	1.4	0.1	1.2	2.3	96.4	96.2	2.4	1.5	4.3	4.2	
<u>MISSOURI</u>																											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	0.2	-	0.6	0.9	1.1	2.0	19.7	21.3	46.1	47.1	30.0	26.8	2.2	1.9	0.1	-	1.9	2.9	95.8	95.2	2.3	1.9	4.3	4.2	
Oct.	-	-	0.1	0.1	0.9	0.7	1.8	1.9	16.5	20.8	46.8	50.5	31.5	25.0	2.4	1.0	-	-	2.8	2.7	94.8	96.3	2.4	1.0	4.3	4.2	
Nov.	-	-	0.7	0.1	5.0	1.4	7.2	2.9	37.1	26.3	41.3	53.7	8.6	15.4	0.1	0.2	-	-	12.9	4.4	87.0	95.4	0.1	0.2	3.9	4.1	
After Nov. 30	-	-	2.2	0.2	8.7	1.4	10.5	3.5	47.9	28.2	26.7	53.3	3.9	13.1	0.1	0.3	-	-	21.4	5.1	78.5	94.6	0.1	0.3	3.7	4.1	
Total crop	-	-	0.3	-	2.2	1.1	3.4	2.4	23.2	23.2	44.8	51.1	24.4	21.3	1.7	0.9	-	-	5.9	3.5	92.4	95.6	1.7	0.9	4.2	4.2	

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average, mike																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																									Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	
NEW MEXICO																								
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	3.3	-	9.9	-	48.5	9.3	38.3	82.9	-	7.8	-	-	-	13.2	-	86.8	100.0	-	-	
Oct.	-	-	0.6	0.4	8.2	2.6	15.8	5.5	50.2	49.7	23.8	39.6	1.4	2.2	-	-	-	24.6	8.5	75.4	91.5	-	-	
Nov.	0.9	0.1	5.7	2.6	16.0	14.6	15.2	16.5	44.9	52.9	16.4	12.9	0.9	0.4	-	*	-	37.8	33.8	62.2	66.2	-	-	
After Nov. 30	9.6	5.3	27.5	21.6	30.2	30.0	12.5	14.1	17.4	22.6	2.5	5.8	0.3	0.5	-	0.1	-	79.8	71.0	20.2	28.9	-	0.1	
Total crop	3.1	1.9	10.4	9.1	17.7	17.5	14.6	13.4	38.5	41.2	14.8	16.0	0.9	0.9	-	*	-	45.8	41.9	54.2	58.1	-	*	
ARIZONA																								
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	-	0.2	0.1	0.1	7.5	2.1	40.2	21.4	43.9	56.0	7.8	17.8	0.5	2.4	0.1	0.3	91.6	79.5	8.3	20.2
Oct.	-	-	*	*	0.3	0.2	0.5	0.2	5.6	3.3	28.3	22.7	50.6	55.7	13.4	16.5	1.3	1.4	0.8	0.4	84.5	81.7	14.7	17.9
Nov.	*	*	0.2	0.2	1.1	0.6	1.4	0.8	9.4	5.4	33.3	28.2	48.4	53.7	6.1	10.4	0.1	0.7	2.7	1.6	91.1	87.3	6.2	11.1
After Nov. 30	0.6	0.4	3.5	2.7	9.8	7.0	9.0	5.2	29.2	18.7	29.2	35.6	17.8	28.2	0.9	2.1	-	0.1	22.9	15.3	76.2	82.5	0.9	2.2
Total crop	0.1	0.1	0.8	1.1	2.8	2.7	2.7	2.2	12.6	9.4	31.1	29.4	42.3	45.4	7.1	9.0	0.5	0.7	6.4	6.1	86.0	84.2	7.6	9.7
CALIFORNIA																								
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	0.1	-	0.3	0.2	0.5	0.2	6.6	5.1	36.4	51.5	50.7	42.4	5.3	0.6	0.1	-	0.9	0.4	93.7	99.0	5.4	0.6
Oct.	-	-	*	*	0.2	*	0.6	0.1	12.6	4.9	52.1	37.8	34.1	54.0	0.4	3.2	*	*	0.8	0.1	98.8	96.7	0.4	3.2
Nov.	*	*	0.7	0.2	2.0	1.1	2.0	1.1	16.9	7.6	44.6	38.1	31.6	48.7	2.2	3.1	-	0.1	4.7	2.4	93.1	94.4	2.2	3.2
After Nov. 30	1.2	0.1	6.6	1.4	12.5	4.3	8.7	4.3	22.3	17.2	30.3	33.4	18.3	37.0	0.1	2.2	*	0.1	29.0	10.1	70.9	87.6	0.1	2.3
Total crop	0.1	*	0.9	0.3	2.1	1.0	2.0	1.1	15.5	7.6	46.3	37.5	31.8	49.5	1.3	2.9	*	0.1	5.1	2.4	93.6	94.6	1.3	3.0
UNITED STATES																								
Prior to Sept. 1	*	0.1	0.2	0.9	0.5	2.6	0.7	2.4	5.3	13.5	28.9	33.8	49.6	32.1	12.6	10.9	2.2	3.7	1.4	6.0	83.8	79.4	14.8	14.6
Sept.	*	*	*	0.2	0.4	0.7	0.6	1.0	9.7	10.2	32.8	36.2	33.0	39.3	13.0	10.0	10.5	2.4	1.0	1.9	75.5	85.7	23.5	12.4
Oct.	*	*	*	*	0.4	0.3	0.7	0.6	9.3	9.3	42.9	40.5	40.2	41.6	5.6	6.8	0.9	0.9	1.1	0.9	92.4	91.4	6.5	7.7
Nov.	0.7	0.1	1.9	0.8	4.1	3.5	3.7	3.5	18.8	17.1	42.6	37.4	25.6	32.4	2.4	4.6	0.2	0.6	10.4	7.9	87.0	86.9	2.6	5.2
After Nov. 30	10.0	5.4	21.3	12.8	22.3	18.2	9.6	9.4	17.4	19.4	13.9	19.1	5.0	12.6	0.5	2.5	*	0.6	63.2	45.8	36.3	51.1	0.5	3.1
Total crop	2.4	1.7	5.6	4.0	6.5	6.3	3.7	3.8	14.1	14.1	35.0	32.8	27.5	30.7	4.1	5.6	1.1	1.0	18.2	15.8	76.6	77.6	5.2	6.6

Table 13. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by classing office territories, 1972-73 with comparisons

Classing Office	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals					Average		
	1971		1972		1971		1972		1971		1972		1971		1972		1971		Below 3.5		3.5-4.9		5.0 and above		1971	1972
	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.	Pct.	Rdg.
Raleigh	■	0.3	0.4	1.6	1.7	2.4	2.7	18.7	21.1	47.3	44.5	25.2	26.3	3.9	3.0	0.6	0.3	4.3	4.8	91.2	91.9	4.5	3.3	4.2	4.2	
Columbia	■	0.2	0.3	1.6	1.5	2.6	2.0	26.8	17.9	55.4	45.8	13.0	27.0	0.4	4.8	■	0.7	4.4	3.8	95.2	90.7	0.4	5.5	4.1	4.3	
Augusta	-	■	■	0.4	0.2	1.0	0.4	10.8	7.1	48.7	29.9	34.8	42.6	4.0	15.1	0.3	4.7	1.4	0.6	94.3	79.6	4.3	19.8	4.4	4.6	
Atlanta	-	0.1	■	0.6	0.7	1.5	1.5	20.8	18.4	58.7	50.0	17.6	26.9	0.7	2.3	■	0.2	2.2	2.2	97.1	95.3	0.7	2.5	4.2	4.2	
Birmingham	■	0.2	0.2	1.2	1.0	1.4	1.7	13.0	14.9	50.1	45.5	31.7	32.5	2.3	3.8	0.1	0.4	2.8	2.9	94.8	92.9	2.4	4.2	4.3	4.3	
Montgomery	■	0.1	■	0.6	0.6	1.0	1.5	11.7	18.7	51.6	48.0	31.2	27.0	3.6	3.9	0.2	0.3	1.7	2.1	94.5	93.7	3.8	4.2	4.3	4.3	
Greenwood	■	0.8	0.1	3.2	0.9	2.7	1.2	9.6	7.2	38.0	34.2	38.9	45.5	6.5	9.9	0.3	1.0	6.7	2.2	86.5	86.9	6.8	10.9	4.3	4.5	
Jackson	■	0.3	■	1.5	0.5	1.8	0.9	11.6	8.6	43.9	37.6	37.3	42.5	3.5	8.8	0.1	1.1	3.6	1.4	92.8	88.7	3.6	9.9	4.3	4.5	
Memphis	■	0.1	0.1	0.5	0.7	0.8	1.4	11.5	19.1	44.7	51.0	37.4	25.1	4.7	2.3	0.3	0.3	1.4	2.2	93.6	95.2	5.0	2.6	4.4	4.2	
Hayti	■	0.3	■	2.2	1.1	3.4	2.4	23.2	23.2	44.8	51.1	24.4	21.3	1.7	0.9	■	■	5.9	3.5	92.4	95.6	1.7	0.9	4.2	4.2	
Blytheville	-	■	■	0.8	0.5	1.2	1.0	14.9	18.9	46.6	53.8	34.9	24.1	1.6	1.4	■	0.3	2.0	1.5	96.4	96.8	1.6	1.7	4.3	4.2	
Little Rock	■	0.6	0.2	2.4	0.7	2.5	0.8	12.3	5.5	39.7	26.4	37.2	48.6	5.0	14.7	0.3	3.1	5.5	1.7	89.2	80.5	5.3	17.8	4.3	4.6	
Winnsboro	■	0.8	■	3.1	0.5	2.6	0.6	14.2	7.7	41.9	40.1	33.5	40.2	3.6	9.0	0.3	1.9	6.5	1.1	89.6	88.0	3.9	10.9	4.3	4.5	
Alexandria	0.2	-	1.9	0.1	4.4	0.9	3.3	1.1	17.2	11.0	46.9	52.5	24.7	31.4	1.4	2.8	■	0.2	9.8	2.1	88.8	94.9	1.4	3.0	4.1	4.3
Altus	1.4	0.3	7.8	1.4	19.8	6.3	15.0	6.3	31.9	18.3	18.7	22.7	5.0	27.3	0.4	13.1	■	4.3	44.0	14.3	55.6	68.3	0.4	17.4	3.6	4.3
Dallas	■	0.2	0.3	1.1	1.3	1.2	2.1	8.5	18.7	19.5	42.3	29.3	28.0	19.7	5.9	20.5	1.4	2.5	3.7	57.3	89.0	40.2	7.3	4.7	4.3	
Austin	0.1	■	0.3	0.4	0.9	1.3	0.8	1.5	4.6	9.0	17.8	30.5	36.0	39.8	22.2	12.6	17.3	4.9	2.1	3.2	58.4	79.3	39.5	17.5	4.8	4.5
Corpus Christi	-	■	-	0.1	■	0.5	0.3	0.8	5.2	7.6	34.0	29.8	43.3	40.3	13.5	16.1	3.7	4.8	0.3	1.4	82.5	77.7	17.2	20.9	4.6	4.6
Harlingen	■	0.3	0.4	1.7	0.9	4.5	0.9	3.7	5.6	16.2	27.4	37.5	50.3	29.3	12.5	5.7	2.0	1.1	2.2	10.2	83.3	83.0	14.5	6.8	4.6	4.2
Abilene	12.1	2.8	17.5	3.0	21.6	8.5	10.8	7.6	23.1	23.7	13.5	29.7	1.4	19.1	■	4.7	■	0.9	62.0	21.9	38.0	72.5	■	5.6	3.3	4.0
Lubbock	17.0	9.7	36.6	23.4	30.4	30.2	8.7	13.1	6.8	17.7	0.5	5.1	■	0.7	■	0.1	-	■	92.7	76.4	7.3	23.5	■	0.1	3.0	3.2
El Paso	1.7	0.6	4.2	5.0	9.0	13.2	8.1	10.5	40.9	42.1	31.9	25.3	4.1	3.2	0.1	0.1	-	-	23.0	29.3	76.9	70.6	0.1	0.1	3.7	3.7
Carlsbad	1.5	0.9	7.8	4.9	16.9	11.5	14.7	10.5	36.0	38.0	17.7	25.5	5.2	7.6	0.2	1.1	-	■	40.9	27.8	58.9	71.1	0.2	1.1	3.6	3.7
Phoenix	0.1	0.1	0.8	1.1	2.6	2.7	2.5	2.1	10.6	7.8	29.1	27.3	45.2	47.9	8.6	10.2	0.5	0.8	6.0	6.0	84.9	83.0	9.1	11.0	4.4	4.4
Fresno	0.2	■	1.1	0.2	1.9	0.7	1.6	0.7	13.2	5.5	44.7	33.4	34.5	56.2	2.8	3.2	■	0.1	4.8	1.6	92.4	95.1	2.8	3.3	4.3	4.5
Bakersfield	0.1	■	1.0	0.3	2.5	1.1	2.4	1.3	18.1	9.0	47.3	40.4	28.4	45.2	0.2	2.7	■	■	6.0	2.7	93.8	94.6	0.2	2.7	4.2	4.4
El Centro	■	0.1	0.2	0.6	1.3	1.8	1.5	1.5	10.1	8.5	43.9	40.4	41.5	43.7	1.5	3.3	■	0.1	3.0	4.0	95.5	92.6	1.5	3.4	4.3	4.4
United States	2.4	1.7	5.6	4.0	6.5	6.3	3.7	3.8	14.1	14.1	35.0	32.8	27.5	30.7	4.1	5.6	1.1	1.0	18.2	15.8	76.6	77.6	5.2	6.6	4.1	4.2

■ Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1972-73 with comparisons

State	Zero Gage Fiber Strength (Mpsl)																Average strength				
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99				100 & above		
	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Mpsl
N. C.	-	■	0.4	■	11.8	1.7	49.1	18.7	33.8	49.8	4.6	25.8	0.3	3.7	-	0.3	-	-	78.5	82.6	
S. C.	-	-	0.7	-	14.8	1.3	50.0	16.3	30.0	43.0	4.1	32.2	0.3	6.8	0.1	0.4	-	-	78.2	83.4	
Ga.	-	-	0.9	0.1	16.3	2.1	51.3	15.3	27.7	37.3	3.8	34.1	■	10.1	■	1.0	-	■	77.9	83.9	
Ala.	-	-	0.8	0.3	20.6	5.3	52.9	34.2	22.2	36.8	3.3	18.2	0.2	4.8	-	0.4	-	■	77.4	81.2	
Miss.	■	-	0.2	-	4.9	1.1	39.9	10.7	47.2	35.5	7.6	38.1	0.2	12.9	■	1.7	-	-	79.9	84.7	
Tenn.	-	-	0.3	0.1	6.2	4.9	52.8	30.6	36.0	41.7	4.5	18.0	0.2	3.9	-	0.8	-	-	78.9	81.4	
Mo.	-	■	0.1	0.3	1.5	7.4	32.2	31.8	52.2	44.0	12.5	14.0	1.5	2.1	-	0.4	-	■	81.1	80.7	
Ark.	-	-	■	■	2.5	0.8	30.3	8.2	49.8	31.5	15.3	44.3	1.6	14.0	0.5	1.2	-	■	81.2	85.4	
La.	■	■	0.1	■	3.3	0.5	33.0	9.3	50.4	39.1	12.5	39.6	0.6	10.6	0.1	0.9	-	■	80.7	84.7	
Okla.	-	■	0.8	0.4	13.3	7.6	41.1	33.3	31.5	36.3	10.1	17.7	2.9	3.7	0.3	0.8	■	0.2	79.4	80.9	
Tex.	■	0.4	2.2	5.4	14.9	23.1	34.7	32.0	29.1	22.6	12.5	11.9	4.9	4.0	1.4	0.6	0.3	■	79.8	78.3	
N. Mex.	■	0.1	■	0.6	1.2	3.0	7.1	10.0	9.1	11.9	17.2	21.1	32.0	29.3	25.0	18.3	8.4	5.7	91.1	89.0	
Ariz.	-	-	■	■	0.7	0.4	8.6	8.2	43.9	39.9	37.3	39.2	7.1	10.1	1.6	1.8	0.8	0.4	84.5	84.9	
Calif.	-	■	-	-	■	■	0.2	0.1	1.1	1.4	4.2	6.8	12.6	19.1	32.0	38.3	49.9	34.3	99.0	97.1	
U. S.	■	0.1	0.7	1.8	8.0	8.4	32.8	18.8	34.1	27.8	10.5	23.0	3.9	9.4	4.4	6.0	5.6	4.7	82.3	83.9	

* Less than 0.05 percent.

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons

Period	Zero Gage Fiber strength (Mpsi)																Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99					
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi		
<u>NORTH CAROLINA</u>																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Oct.	-	-	-	-	3.9	1.6	38.8	13.3	46.1	50.4	10.3	31.2	0.9	3.5	-	-	80.2	83.2		
Nov.	-	0.1	0.2	0.1	14.7	1.9	51.4	18.3	30.7	49.2	2.9	25.6	0.1	4.4	-	0.4	78.0	82.7		
After Nov. 30	-	-	1.0	-	14.2	1.5	53.8	25.1	27.5	50.3	3.3	20.5	0.2	2.5	-	0.1	77.9	81.9		
Total crop	-	■	0.4	■	11.8	1.7	49.1	18.7	33.8	49.8	4.6	25.8	0.3	3.7	-	0.3	78.5	82.6		
<u>SOUTH CAROLINA</u>																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	6.7	-	35.7	-	46.4	-	10.4	-	0.4	-	0.4	-	80.3	-		
Oct.	-	-	0.5	-	10.6	0.5	49.2	10.6	35.1	39.7	4.4	39.2	0.2	9.3	-	0.7	78.6	84.4		
Nov.	-	-	0.4	-	9.3	2.5	44.8	21.8	38.7	46.3	6.4	25.0	0.3	4.2	0.1	0.2	79.2	82.4		
After Nov. 30	-	-	1.5	-	21.4	1.7	56.5	25.2	19.1	48.3	1.4	21.5	0.1	3.3	■	-	76.9	81.9		
Total crop	-	-	0.7	-	14.8	1.3	50.0	16.3	30.0	43.0	4.1	32.2	0.3	6.8	0.1	0.4	78.2	83.4		
<u>GEORGIA</u>																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	1.3	0.6	14.8	0.8	39.1	9.2	34.5	33.0	9.7	40.2	0.6	14.4	■	1.8	79.0	85.2		
Oct.	-	-	0.5	-	10.1	2.5	51.5	17.2	32.9	37.9	4.8	31.8	0.2	9.7	-	0.9	78.6	83.6		
Nov.	-	-	1.1	0.1	19.4	3.0	52.8	17.3	24.3	38.4	2.4	33.7	■	7.2	-	0.3	77.4	83.3		
After Nov. 30	-	-	0.9	-	23.7	1.2	52.7	20.1	21.3	44.7	1.4	28.7	■	4.6	-	0.7	76.9	82.8		
Total crop	-	-	0.9	0.1	16.3	2.1	51.3	15.3	27.7	37.3	3.8	34.1	■	10.1	■	1.0	77.9	83.9		
<u>ALABAMA</u>																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	12.3	2.3	50.4	23.4	29.6	33.0	7.0	26.3	0.7	13.7	-	-	78.9	83.6		
Oct.	-	-	0.9	0.6	22.0	6.3	52.4	33.6	21.4	35.7	3.1	18.7	0.2	4.5	-	0.5	77.2	81.0		
Nov.	-	-	0.8	0.1	20.5	3.9	53.2	37.7	22.4	38.7	2.8	16.1	0.3	3.2	-	0.3	77.3	80.9		
After Nov. 30	-	-	0.7	-	20.2	6.1	53.3	36.6	21.0	41.7	4.7	14.0	0.1	1.6	-	-	77.5	80.5		
Total crop	-	-	0.8	0.3	20.6	5.3	52.9	34.2	22.2	36.8	3.3	18.2	0.2	4.8	-	0.4	77.4	81.2		
<u>MISSISSIPPI</u>																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	3.9	1.2	16.6	1.2	55.9	18.3	22.1	48.7	1.5	27.4	-	-	82.0	87.4		
Oct.	■	-	0.1	-	3.7	0.8	37.1	10.0	50.6	35.3	8.3	39.6	0.2	12.5	-	1.8	80.2	84.9		
Nov.	-	-	0.3	-	6.2	1.3	44.4	16.1	42.6	47.4	6.0	30.4	0.4	4.2	0.1	0.6	79.5	83.0		
After Nov. 30	■	-	■	-	8.6	2.8	44.3	27.9	42.1	53.9	5.0	14.8	■	0.5	■	0.1	79.2	81.1		
Total crop	■	-	0.2	-	4.9	1.1	39.9	10.7	47.2	35.5	7.6	38.1	0.2	12.9	■	1.7	79.9	84.7		

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																	Average strength		
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1971	1972
	Pct.	1972	Pct.	1972	Pct.	1972	Pct.	1972	Pct.	1972	Pct.	1972	Pct.	1972	Pct.	1972	Pct.	1972		
TENNESSEE																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA																				
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nov.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1972-73 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																		Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi		
TEXAS																						
Prior to Sept. 1	-	-	-	0.3	0.6	3.0	11.0	20.9	33.6	40.2	33.9	26.8	16.9	8.4	3.6	0.4	0.4	■	85.4	82.9		
Sept.	-	■	0.3	■	9.2	2.3	30.2	14.0	26.2	33.5	21.1	36.5	9.8	12.5	2.8	1.1	0.4	0.1	82.1	84.3		
Oct.	■	0.1	1.8	0.6	17.6	5.6	40.5	16.9	21.0	31.9	8.3	30.3	7.1	10.8	2.5	2.7	1.2	1.1	79.7	83.7		
Nov.	0.1	0.1	2.7	1.7	21.3	14.2	37.0	41.7	23.3	28.0	8.1	9.0	3.7	3.8	2.9	1.3	0.9	0.2	79.1	79.3		
After Nov. 30	■	0.5	2.9	8.4	17.7	33.5	40.2	36.9	30.2	15.7	7.4	3.7	1.2	1.2	0.4	0.1	■	■	78.3	75.8		
Total crop	■	0.4	2.2	5.4	14.9	23.1	34.7	32.0	29.1	22.6	12.5	11.9	4.9	4.0	1.4	0.6	0.3	■	79.8	78.3		
NEW MEXICO																						
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	-	-	-	-	7.5	-	34.1	-	37.8	-	13.1	-	7.5	-	90.9	-		
Oct.	-	-	-	-	■	-	1.9	1.0	3.4	4.3	16.2	15.4	37.8	29.6	30.2	34.5	10.5	15.2	93.2	93.9		
Nov.	-	-	■	0.4	0.9	1.8	5.2	6.1	5.5	10.1	15.5	24.5	33.6	35.3	29.0	17.6	10.3	4.2	92.2	89.7		
After Nov. 30	■	0.3	0.2	1.6	3.1	7.4	16.0	24.4	21.9	21.2	20.8	19.8	22.0	17.9	12.9	6.7	3.1	0.7	86.6	83.8		
Total crop	■	0.1	■	0.6	1.2	3.0	7.1	10.0	9.1	11.9	17.2	21.1	32.0	29.3	25.0	18.3	8.4	5.7	91.1	89.0		
ARIZONA																						
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	0.5	0.5	12.5	4.3	39.7	29.5	37.7	47.6	8.3	15.6	1.3	2.5	-	■	84.3	85.9		
Oct.	-	-	■	-	0.5	0.3	6.9	5.4	49.0	28.7	37.1	45.3	4.7	18.5	1.0	1.7	0.8	0.1	84.3	86.1		
Nov.	-	-	-	-	0.7	0.1	8.5	8.1	43.4	40.1	38.0	40.4	7.1	8.5	1.7	2.1	0.6	0.7	84.5	84.9		
After Nov. 30	-	-	■	■	1.1	0.9	11.2	11.1	37.1	48.8	36.1	31.8	10.8	6.0	2.6	1.0	1.1	0.4	84.8	83.7		
Total crop	-	-	■	■	0.7	0.4	8.6	8.2	43.9	39.9	37.3	39.2	7.1	10.1	1.6	1.8	0.8	0.4	84.5	84.9		
CALIFORNIA																						
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sept.	-	-	-	-	-	-	1.5	0.5	23.6	1.9	43.8	5.9	24.6	8.7	6.5	38.7	-	44.3	87.5	98.0		
Oct.	-	-	-	-	■	-	0.1	■	1.3	0.2	5.0	3.1	8.9	14.2	23.7	39.3	61.0	43.2	100.0	98.5		
Nov.	-	-	-	-	-	-	■	0.2	0.3	1.7	2.3	8.8	13.8	22.9	38.6	40.3	45.0	26.1	99.0	96.3		
After Nov. 30	-	■	-	-	-	■	1.7	0.6	3.5	5.9	6.7	19.1	22.5	35.0	33.9	28.4	31.7	11.0	96.4	93.0		
Total crop	-	■	-	-	■	■	0.2	0.1	1.1	1.4	4.2	6.8	12.6	19.1	32.0	38.3	49.9	34.3	99.0	97.1		
UNITED STATES																						
Prior to Sept. 1	-	-	-	0.3	0.6	3.0	11.0	20.9	33.6	40.2	33.9	26.8	16.9	8.4	3.6	0.4	0.4	■	85.4	82.9		
Sept.	-	■	0.1	0.1	6.6	1.4	29.4	7.6	37.5	27.2	19.0	40.1	5.8	18.6	1.5	3.5	0.1	1.5	81.7	86.2		
Oct.	■	■	0.2	■	5.1	1.4	32.4	10.5	39.3	29.1	10.0	30.2	2.5	11.5	3.3	8.9	7.2	8.4	82.7	87.1		
Nov.	■	■	0.5	0.2	7.6	3.6	32.5	18.7	30.1	31.1	8.8	21.9	4.3	9.7	7.8	9.2	8.4	5.6	83.4	85.3		
After Nov. 30	■	0.4	2.1	5.7	15.2	24.1	38.6	33.2	29.8	22.1	8.4	8.2	2.6	3.7	1.9	1.9	1.4	0.7	79.5	78.2		
Total crop	■	0.1	0.7	1.8	8.0	8.4	32.8	18.8	34.1	27.8	10.5	23.0	3.9	9.4	4.4	6.0	5.6	4.7	82.3	83.9		

■ Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1972-73 with comparisons

Classing Office	Zero Gage Fiber Strength (Mpsi)																				Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1971	1972		
	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.	1971	1972	Pct.	Pct.			1971	1972
Raleigh	-	■	0.4	*	11.8	1.7	49.1	18.7	33.8	49.8	4.6	25.8	0.3	3.7	-	0.3	-	-	78.5	82.6		
Columbia	-	-	0.7	-	14.8	1.3	50.0	16.3	30.0	43.0	4.1	32.2	0.3	6.8	0.1	0.4	-	-	78.2	83.4		
Augusta	-	-	1.0	-	18.0	0.2	51.2	4.6	25.1	27.4	4.4	45.3	0.3	20.9	-	1.6	-	■	77.8	86.3		
Atlanta	-	-	0.8	0.2	15.5	2.6	51.5	18.9	28.8	40.5	3.4	30.4	*	6.6	*	0.8	-	-	78.0	83.1		
Birmingham	-	-	1.0	0.5	23.5	7.2	57.7	42.8	16.5	37.3	1.3	11.2	■	1.0	-	-	-	■	76.7	79.7		
Montgomery	-	-	0.3	-	13.0	0.7	39.8	14.9	37.3	36.0	8.9	33.8	0.7	13.2	-	1.3	-	0.1	79.2	84.4		
Greenwood	-	-	0.1	-	3.2	0.6	35.5	7.8	51.9	32.9	8.8	41.2	0.4	15.3	0.1	2.2	-	-	80.4	85.4		
Jackson	-	-	0.2	-	10.3	1.4	52.6	14.2	34.5	48.1	2.3	31.5	0.1	4.8	-	-	-	-	78.4	83.2		
Memphis	*	-	0.3	0.1	7.6	4.1	52.4	27.1	35.3	42.2	4.2	21.1	0.2	4.7	*	0.7	-	■	78.8	81.9		
Hayti	-	*	0.1	0.3	1.5	7.4	32.2	31.8	52.2	44.0	12.5	14.0	1.5	2.1	-	0.4	-	■	81.1	80.7		
Blytheville	-	-	0.1	*	1.4	0.9	24.8	9.4	50.9	34.2	19.2	43.3	3.3	11.2	0.3	1.0	-	■	81.9	85.0		
Little Rock	-	-	0.1	*	3.1	0.8	32.7	7.2	48.9	29.0	13.7	45.3	0.9	16.0	0.6	1.6	-	0.1	80.9	85.6		
Winnsboro	-	*	*	*	2.4	0.2	29.2	5.6	52.8	33.8	14.8	45.8	0.7	13.6	0.1	1.0	-	*	81.1	85.5		
Alexandria	*	-	0.3	*	6.2	1.1	44.1	18.6	42.6	53.9	6.1	24.1	0.7	2.2	-	0.1	-	-	79.5	82.4		
Altus	-	*	0.9	1.2	13.6	11.5	37.0	33.0	32.2	33.4	13.1	16.2	2.9	4.0	0.3	0.7	*	■	79.7	80.3		
Dallas	*	-	1.4	*	22.5	0.1	47.0	3.7	21.8	25.6	5.4	48.9	1.8	19.9	0.1	1.7	*	0.1	77.6	86.5		
Austin	*	-	1.0	*	6.1	3.1	20.5	21.4	25.7	44.1	26.0	24.5	16.2	6.3	4.0	0.6	0.5	-	83.8	82.6		
Corpus Christi	-	0.1	0.1	1.1	2.7	7.3	16.4	20.0	27.5	36.3	30.5	25.5	16.7	9.3	5.5	0.3	0.6	0.1	85.1	82.4		
Harlingen	-	-	*	*	0.2	2.7	10.8	26.1	37.8	43.8	34.5	23.6	14.1	3.4	2.2	0.4	0.4	-	85.0	82.0		
Abilene	0.3	*	9.1	4.8	33.9	29.5	38.0	42.6	15.9	18.6	2.3	3.8	0.4	0.5	0.1	■	*	0.2	75.5	76.5		
Lubbock	*	0.6	1.6	9.2	14.6	33.8	41.4	37.0	33.3	15.3	7.3	2.7	1.1	1.1	0.5	0.3	0.2	■	78.8	75.5		
El Paso	-	*	*	0.4	1.2	3.3	7.9	10.1	9.3	10.6	16.4	21.2	31.4	29.2	24.8	19.3	9.0	5.9	91.0	89.2		
Carlsbad	0.1	0.3	1.0	1.8	7.7	12.5	24.2	29.5	18.1	16.0	14.6	11.5	18.0	15.4	12.2	9.2	4.1	3.8	85.1	83.3		
Phoenix	-	-	*	-	0.5	0.3	8.5	8.2	48.0	42.2	36.8	39.2	5.2	9.3	0.5	0.8	0.5	■	84.1	84.6		
Fresno	-	-	-	-	-	-	-	*	0.1	0.5	1.8	5.0	13.2	22.6	34.8	39.8	50.1	32.1	99.5	97.1		
Bakersfield	-	-	-	-	-	-	0.1	*	0.1	0.1	1.3	3.5	10.2	15.8	33.1	40.9	55.2	39.7	99.9	98.2		
El Centro	-	■	-	-	0.2	0.3	2.8	3.4	22.5	24.6	47.8	49.2	23.2	19.7	3.4	2.6	0.1	0.2	87.1	86.7		
United States	■	0.1	0.7	1.8	8.0	8.4	32.8	18.8	34.1	27.8	10.5	23.0	3.9	9.4	4.4	6.0	5.6	4.7	82.3	83.9		

* Less than 0.05 percent.

Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1972-73

Grade Code	Ginnings						Percentages					
	Staple Code (32nd inches)						Staple Code (32nd inches)					
	40 and shorter	42	44	46	48 and longer	All staples	40 and shorter	42	44	46	48 and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	137	-	-	137	-	-	0.5	-	-	0.4
3 (30)	-	-	4,690	721	-	5,411	-	-	15.8	34.5	-	15.1
4 (40)	-	9	14,918	1,176	-	16,103	-	0.2	50.4	56.3	-	44.6
5 (50)	-	6	8,058	193	-	8,257	-	0.2	27.2	9.2	-	23.0
6 (60)	-	245	1,548	-	-	1,793	-	6.1	5.2	-	-	5.0
7 (70)	11	908	260	-	-	1,179	4.3	22.7	0.9	-	-	3.3
8 (80)	23	1,521	-	-	-	1,544	9.1	38.1	-	-	-	4.3
9 (90)	97	967	-	-	-	1,064	38.2	24.2	-	-	-	3.0
10 (00)	123	338	-	-	-	461	48.4	8.5	-	-	-	1.3
All grades	254	3,994	29,611	2,090	-	35,949	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	-	-	-	-	-	-	-	-	-	-
3 (30)	-	-	1,571	21	-	1,592	-	-	18.8	8.0	-	17.6
4 (40)	-	9	5,045	191	-	5,245	-	2.3	60.2	72.6	-	57.8
5 (50)	-	-	1,595	51	-	1,646	-	-	19.1	19.4	-	18.2
6 (60)	-	60	145	-	-	205	-	15.4	1.7	-	-	2.3
7 (70)	-	171	16	-	-	187	-	43.9	0.2	-	-	2.1
8 (80)	-	80	-	-	-	80	-	20.5	-	-	-	0.9
9 (90)	29	54	-	-	-	83	100.0	13.8	-	-	-	0.9
10 (00)	-	16	-	-	-	16	-	4.1	-	-	-	0.2
All grades	29	390	8,372	263	-	9,054	100.0	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	14	-	-	14	-	-	*	-	-	*
3 (30)	-	-	454	48	-	502	-	-	1.0	4.7	-	1.0
4 (40)	-	27	11,835	299	-	12,161	-	1.2	25.9	29.5	-	24.9
5 (50)	-	19	23,209	584	-	23,812	-	0.9	50.8	57.5	-	48.8
6 (60)	-	176	7,971	84	-	8,231	-	8.1	17.5	8.3	-	16.8
7 (70)	-	574	1,396	-	-	1,970	-	26.4	3.1	-	-	4.0
8 (80)	-	642	458	-	-	1,100	-	29.4	1.0	-	-	2.3
9 (90)	10	380	69	-	-	459	23.3	17.5	0.2	-	-	0.9
10 (00)	33	358	224	-	-	615	76.7	16.5	0.5	-	-	1.3
All grades	43	2,176	45,630	1,015	-	48,864	100.0	100.0	100.0	100.0	-	100.0
<u>UNITED STATES</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	151	-	-	151	-	-	0.2	-	-	0.2
3 (30)	-	-	6,715	790	-	7,505	-	-	8.0	23.5	-	8.0
4 (40)	-	45	31,798	1,666	-	33,509	-	0.7	38.0	49.4	-	35.7
5 (50)	-	25	32,862	828	-	33,715	-	0.4	39.3	24.6	-	35.8
6 (60)	-	481	9,664	84	-	10,229	-	7.3	11.6	2.5	-	10.9
7 (70)	11	1,653	1,672	-	-	3,336	3.4	25.2	2.0	-	-	3.6
8 (80)	23	2,243	458	-	-	2,724	7.1	34.1	0.5	-	-	2.9
9 (90)	136	1,401	69	-	-	1,606	41.7	21.4	0.1	-	-	1.7
10 (00)	156	712	224	-	-	1,092	47.8	10.9	0.3	-	-	1.2
All grades	326	6,560	83,613	3,368	-	93,867 ^{1/}	100.0	100.0	100.0	100.0	-	100.0

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States, during specified periods, 1972-73

Grade and staple		Ginnings					Total crop
		Prior to Sept. 1	September	October	November	After Nov. 30	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
1	(10)	-	-	-	-	-	-
2	(20)	-	-	140	-	11	151
3	(30)	-	21	3,971	2,734	779	7,505
4	(40)	-	14	4,173	17,936	11,386	33,509
5	(50)	-	110	504	14,499	18,602	33,715
6	(60)	-	-	14	3,656	6,559	10,229
7	(70)	-	-	-	621	2,715	3,336
8	(80)	-	-	-	171	2,553	2,724
9	(90)	-	-	-	-	1,606	1,606
10	(00)	-	-	-	131	961	1,092
All grades		-	145	8,802	39,748	45,172	93,867 ^{1/}
<u>Staple Code (32nd inches)</u>							
40 and shorter		-	-	-	-	326	326
42		-	-	-	267	6,293	6,560
44		-	145	7,639	37,478	38,351	83,613
46		-	-	1,163	2,003	202	3,368
48 and longer		-	-	-	-	-	-
All staples		-	145	8,802	39,748	45,172	93,867 ^{1/}
Grade	Code	Percent	Percent	Percent	Percent	Percent	Percent
1	(10)	-	-	-	-	-	-
2	(20)	-	-	1.6	-	▪	0.2
3	(30)	-	14.5	45.1	6.9	1.7	8.0
4	(40)	-	9.7	47.4	45.1	25.2	35.7
5	(50)	-	75.8	5.7	36.5	41.2	35.8
6	(60)	-	-	0.2	9.2	14.5	10.9
7	(70)	-	-	-	1.6	6.0	3.6
8	(80)	-	-	-	0.4	5.7	2.9
9	(90)	-	-	-	-	3.6	1.7
10	(00)	-	-	-	0.3	2.1	1.2
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple code (32nd inches)</u>							
40 and shorter		-	-	-	-	0.7	0.3
42		-	-	-	0.7	13.9	7.0
44		-	100.0	86.8	94.3	85.0	89.1
46		-	-	13.2	5.0	0.4	3.6
48 and longer		-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

^{1/} As reported by the Bureau of the Census, running bales.
 ▪ Less than 0.05 percent.

Average grade.... 4.8
 Average staple... 43.9

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1972-73 with comparisons

Readings	State						United States	
	Texas		New Mexico		Arizona			
	1971	1972	1971	1972	1971	1972	1971	1972
	<u>Percent</u>		<u>Percent</u>		<u>Percent</u>		<u>Percent</u>	
2.4 and below	0.1	-	0.6	-	-	-	0.1	-
2.5	0.1	0.1	0.4	0.2	-	-	0.1	*
2.6	0.6	0.4	0.7	0.3	-	*	0.4	0.2
2.7	1.3	1.1	0.6	0.3	*	0.1	0.7	0.5
2.8	1.8	2.2	1.3	0.6	*	0.2	1.0	1.0
2.9	2.0	3.2	1.4	1.1	0.2	0.2	1.2	1.4
3.0	3.4	5.7	1.6	2.3	0.2	0.6	1.8	2.7
3.1	3.1	7.6	1.3	4.3	0.4	1.1	1.7	3.9
3.2	3.9	11.0	2.5	5.9	1.1	2.1	2.5	5.9
3.3	4.3	9.4	2.2	9.1	1.4	2.8	2.8	5.9
3.4	5.4	11.5	4.6	14.5	2.9	3.8	4.2	7.8
3.5	8.7	12.6	6.7	14.3	4.8	7.6	6.7	10.2
3.6	10.0	11.7	11.0	15.7	8.8	11.4	9.6	12.0
3.7	11.2	8.3	10.0	11.9	10.5	12.9	10.8	11.1
3.8	13.2	6.9	15.5	7.1	17.5	15.6	15.2	11.6
3.9	9.2	3.1	11.0	5.6	15.2	14.2	12.0	9.1
4.0	9.6	2.6	12.5	2.8	17.4	11.1	13.4	7.0
4.1	5.7	1.1	6.0	1.5	10.4	8.1	7.8	4.8
4.2	3.4	1.0	6.0	1.5	6.1	5.0	4.9	3.1
4.3	1.8	0.4	2.8	0.5	2.0	2.1	2.0	1.3
4.4	0.9	0.1	1.0	0.2	0.7	0.7	0.8	0.4
4.5	0.2	-	0.1	0.3	0.2	0.2	0.2	0.1
4.6	0.1	-	0.1	-	0.2	0.1	0.1	*
4.7	*	-	-	-	-	0.1	*	*
4.8	-	-	0.1	-	-	*	*	*
4.9	*	-	-	-	-	-	*	-
5.0 and above	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.6	3.4	3.7	3.5	3.8	3.8	3.7	3.6

* Less than 0.05 percent.

